

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BISTRO

Revision date: 18.03.2021

G435

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BISTRO

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

EuPCS: PC-CLN-10.1 Cleaners for kitchen areas

Process categories [PROC]: 8, 10, 11

1.3. Details of the supplier of the safety data sheet

Company name: BUZIL-WERK Wagner GmbH & Co. KG

Street: Fraunhofer Str. 17

Place: D-87700 Memmingen

Telephone: +49 (0) 8331 930-6

Telefax: +49 (0) 8331 930-880

e-mail: info@buzil.de

Contact person: info@buzil.de

Internet: www.buzil.com

1.4. Emergency telephone number: +49 (0) 8331 930-6 (08:00 - 16:00 h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1B

Hazard Statements:

Causes severe skin burns and eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

disodium metasilicate

Signal word: Danger

Pictograms:



Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/containers in accordance with local and national regulations.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BISTRO

Revision date: 18.03.2021

G435

Page 2 of 11

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification			
68411-30-3	sodium dodecyl benzene sulfonate	5 - < 10 %		
	270-115-0		01-2119489428-22	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H302 H315 H318 H412			
34590-94-8	1-(methoxymethylethoxy)-propanol(2)	1 - < 5 %		
	252-104-2		01-2119450011-60	
6834-92-0	disodium metasilicate	1 - < 5 %		
	229-912-9	014-010-00-8	01-2119449811-37	
	Skin Corr. 1B, STOT SE 3; H314 H335			
26183-52-8	fatty alcohol polyethoxilate	1 - < 5 %		
	Acute Tox. 4, Eye Dam. 1; H302 H318			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
68411-30-3	270-115-0	sodium dodecyl benzene sulfonate	5 - < 10 %	
	inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = 500 mg/kg			
34590-94-8	252-104-2	1-(methoxymethylethoxy)-propanol(2)	1 - < 5 %	
	inhalation: LC50 = >20 mg/l (vapours); dermal: LD50 = 9510 mg/kg; oral: LD50 = >5000 mg/kg			
6834-92-0	229-912-9	disodium metasilicate	1 - < 5 %	
	inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg			
26183-52-8		fatty alcohol polyethoxilate	1 - < 5 %	
	inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = 500 mg/kg Eye Dam. 1; H318: >= 20 - 100			

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % anionic surfactants, < 5 % non-ionic surfactants, < 5 % phosphates.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BISTRO

Revision date: 18.03.2021

G435

Page 3 of 11

After ingestion

Rinse mouth immediately and drink plenty of water.
Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet
alcohol resistant foam
Carbon dioxide
Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:
Carbon dioxide
Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Use personal protection equipment.
Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.
Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothes.
Do not mix with other chemicals.
Use personal protection equipment.
When using do not eat, drink or smoke.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BISTRO

Revision date: 18.03.2021

G435

Page 4 of 11

If extensively sprayed or used with high pressure equipment:

Do not breathe gas/fumes/vapour/spray.

Use only in well-ventilated areas.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

There are no data available on the mixture itself.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
34590-94-8	1-(methoxymethylethoxy)-propanol(2)			
Worker DNEL, long-term		dermal	systemic	15 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	37,2 mg/m ³
Consumer DNEL, long-term		dermal	systemic	65 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	310 mg/m ³

PNEC values

CAS No	Substance	Value
34590-94-8	1-(methoxymethylethoxy)-propanol(2)	
Freshwater		19 mg/l
Marine water		1,9 mg/l
Freshwater sediment		70,2 mg/kg
Marine sediment		7,02 mg/kg
Soil		2,74 mg/kg

8.2. Exposure controls

Protective and hygiene measures

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat, drink or smoke.

Eye/face protection

Wear eye/face protection. (EN 166)

Hand protection

Wear suitable gloves. (EN 374, Breakthrough time: >10 min.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BISTRO

G435

Revision date: 18.03.2021

Page 5 of 11

Suitable material: NBR (Nitrile rubber).

Thickness of the glove material $\geq 0,1$ mm

A survey of suitable brands with detailed information on breakthrough times is available upon request.

Diluted ready-to-use solutions $\leq 1\%$:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

Skin protection

Wear suitable work clothing.

Respiratory protection

If extensively sprayed or used with high pressure equipment: combination filter A1/P2 (EN 143, EN 14387).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	yellow
Odour:	characteristic

pH-Value (at 20 °C):	12,5 - 13,5
----------------------	-------------

Changes in the physical state

Melting point:	approx. 0 °C
Boiling point or initial boiling point and boiling range:	approx. 100 °C
Flash point:	> 60 °C

Flammability

Solid/liquid:	not applicable
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined

Self-ignition temperature

Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	not determined

Oxidizing properties

Not oxidising.

Vapour pressure:	not determined
------------------	----------------

Density (at 25 °C):	1,05 g/cm ³
---------------------	------------------------

Water solubility:	completely miscible
-------------------	---------------------

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:	not determined
--	----------------

Viscosity / dynamic: (at 25 °C)	< 10 mPa·s (50 1/s)
------------------------------------	---------------------

Relative vapour density:	not determined
--------------------------	----------------

Evaporation rate:	not determined
-------------------	----------------

9.2. Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BISTRO

Revision date: 18.03.2021

G435

Page 6 of 11

Solid content:

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Exothermic reaction with: Acid

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

Acid

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
68411-30-3	sodium dodecyl benzene sulfonate				
	oral	LD50 mg/kg	500	Rat	ATE
	dermal	LD50 mg/kg	>2000	Rat	ATE
	inhalation aerosol	LC50	>5 mg/l	Rat	ATE
34590-94-8	1-(methoxymethylethoxy)-propanol(2)				
	oral	LD50 mg/kg	>5000	Rat	
	dermal	LD50 mg/kg	9510	Rabbit	
	inhalation vapour	LC50	>20 mg/l	Rat	ATE
6834-92-0	disodium metasilicate				
	oral	LD50 mg/kg	>2000	Rat	ATE
	dermal	LD50 mg/kg	>2000	Rat	ATE
	inhalation aerosol	LC50	>5 mg/l	Rat	ATE
26183-52-8	fatty alcohol polyethoxilate				
	oral	LD50 mg/kg	500	Rat	ATE
	dermal	LD50 mg/kg	>2000	Rat	ATE
	inhalation aerosol	LC50	>5 mg/l	Rat	ATE

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BISTRO

Revision date: 18.03.2021

G435

Page 7 of 11

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
68411-30-3	sodium dodecyl benzene sulfonate					
	Acute fish toxicity	LC50 >1 mg/l	96 h			
	Acute algae toxicity	ErC50 >1 mg/l				
	Acute crustacea toxicity	EC50 >1 mg/l	48 h			
34590-94-8	1-(methoxymethylethoxy)-propanol(2)					
	Acute fish toxicity	LC50 >1000 mg/l	96 h	Poecilia reticulata (Guppy)		
	Acute algae toxicity	ErC50 >969 mg/l	96 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 1919 mg/l	48 h	Daphnia magna (Big water flea)		
	Crustacea toxicity	NOEC >0,5 mg/l	22 d	Daphnia magna (Big water flea)		
6834-92-0	disodium metasilicate					
	Acute fish toxicity	LC50 210 mg/l	96 h	Danio rerio (zebrafish)		
	Acute crustacea toxicity	EC50 1700 mg/l	48 h	Daphnia magna (Big water flea)		
26183-52-8	fatty alcohol polyethoxilate					
	Acute algae toxicity	ErC50 19,6 mg/l	72 h		OECD 201	
	Acute crustacea toxicity	EC50 15,0 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202	

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BISTRO

Revision date: 18.03.2021

G435

Page 8 of 11

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
68411-30-3	sodium dodecyl benzene sulfonate				
		OECD 301	>60%	28	
	Readily biodegradable (according to OECD criteria).				
34590-94-8	1-(methoxymethylethoxy)-propanol(2)				
		OECD 301F/ ISO 9408/ EEC 92/69V, C.4-D	75%	28	
	Readily biodegradable (according to OECD criteria).				
26183-52-8	fatty alcohol polyethoxilate				
		OECD 301	>60%	28	
	Readily biodegradable (according to OECD criteria).				

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
34590-94-8	1-(methoxymethylethoxy)-propanol(2)	1,01

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.
Delivery to an approved waste disposal company.

List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN 1719
14.2. UN proper shipping name:	CAUSTIC ALKALI LIQUID, N.O.S. (disodium metasilicate)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BISTRO

Revision date: 18.03.2021

G435

Page 9 of 11

Classification code: C5
Special Provisions: 274
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number: UN 1719
14.2. UN proper shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (disodium metasilicate)
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8
Classification code: C5
Special Provisions: 274
Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number: UN 1719
14.2. UN proper shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (disodium metasilicate)
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8
Marine pollutant: no
Special Provisions: 223, 274
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1719
14.2. UN proper shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (disodium metasilicate)
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8
Special Provisions: A3 A803
Limited quantity Passenger: 1 L
Passenger LQ: Y841
Excepted quantity: E1
IATA-packing instructions - Passenger: 852
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 856
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No special measures are necessary.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BISTRO

Revision date: 18.03.2021

G435

Page 10 of 11

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): < 30%

Additional information

Regulation (EC) No. 648/2004 (Detergents regulation)

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,4,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



BISTRO

Revision date: 18.03.2021

G435

Page 11 of 11

H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)