















In 2024, our customers continue to grapple with a myriad of complex and pressing challenges. Elevating cleaning and hygiene standards for all, achieving heightened productivity, and making substantial strides towards the critical sustainability agenda remaining at the forefront of the cleaning industry. Addressing the needs of today and conquering the challenges of tomorrow requires professional cleaning solutions that deliver

Performance You Can Trust.

Delivering excellence in customer service and product performance across the globe.

Subsidiary Numatic companies are based in France, Germany, South Africa, The Netherlands, Switzerland, Portugal, Spain and Italy. Long-standing relations with trusted international partners across the globe position us to deliver quality service and product performance in all markets to all customers.





Numatic International Limited

Chard, Somerset TA20 2GB

UNITED KINGDOM

Tel: +44 (0) 1460 68600 numatic.com

| Contents | Pag |
|--|----------------|
| Sustainability Sustainability Formula Net Zero by 2035 Sustainability in Action ReFlo Technology charity: water C Level Offsetting | 6- 6- 6- |
| Our Services ServiceCare Digital Services: Nu-Assist, Nu-Design, Nu-Track The Complete Cleaning Solution | ; 10-1 |

HomeCare & Hi-Line

The familiar faces of Henry and Friends bring reliability, quality and professional cleaning to every home. HomeCare & Hi-Line Kits

CleanCare

Bringing power, performance and reliability to our commercial cleaning product range. 24-45 CleanCare Kits

ProCare

Advanced, professional cleaning for the collection and control of dust and hazardous substances. ProCare Kits


Providing innovative, reliable and effective floorcare solutions, even in the most demanding environments. FloorCare Brushes/Pads & Accessories 70-73

VersaCare

Raising cleaning standards and productivity with versatility, innovation and quality are at the core of our janitorial cleaning systems.

Building on Sustainability

The NUMATIC SUSTAINABILITY FORMULA is the foundation to all our product development and sustainable initiatives.



INTEGRATED SUSTAINABILITY

A sustainable approach is integrated throughout all of our operations, from design to manufacturing, to distribution and when in use. Our teams always strive to innovate and introduce even more sustainable manufacturing practices at our 42 acre site in Somerset, United Kingdom.



Extensive Solar Investment










Net Zero by 2035)?

We recognise the need and demand for sustainable cleaning solutions and commit to initiatives across our business.

This includes becoming Net Zero by 2035 (for Scope 1 and 2) by setting incremental targets to keep us on track. We have also signed up to the Science Based Targets Initiative (SBTi), setting ambitious emissions reduction targets in line with the latest climate science.

While we work on reducing our emissions, we have taken additional measures to reduce our impact on the planet by carbon balancing our Scope 1 and 2 emissions through our trusted offsetting partner C Level.





Sustainability in Action

Achieving ambitious sustainability targets requires innovation, action and transparency. These initiatives move us forward in reaching our goals and leading the way in providing sustainable cleaning solutions for our customers.

Sustainability is broader than just reducing our carbon footprint. True sustainability is helping others to be sustainable in their everyday practices, ensuring the earth and its communities are cared for.





numatic.com/reflo





numatic.com/sustainability



ReFlo Technology

Many of our products are engineered from our innovative, environmentally sustainable ReFlo Technology. We use the highest quality, recycled, post-industrial plastics, which are diverted from landfill.



OUR TEAMS ARE WORKING HARD TO EXPAND THE USE **OF SUSTAINABLE MATERIALS ACROSS THE NUMATIC** PRODUCT RANGE, WHEREVER POSSIBLE.



Made from the highest quality, recycled plastic.





The Bigger Picture

We've partnered with **charity: water** to provide water to communities and projects that need it the most. Through every purchase of a 244NX, we donate the equivalent of 5000L of water.

WORKING IN PARTNERSHIP WITH:

charity: water

OUR INITIAL PROJECT TOOK PLACE IN MADAGASCAR, **RECEIVING 100% OF** THE DONATIONS.

> 85 MILLION Litres of water funded since launch in 2021.



58% of the population currently lack safe drinking water.

22.8 Million do not have a decent toilet.

8.5K

of children under 5 die each year from diarrhoea.



Not Just Any Offsetting

We've been reducing our carbon footprint and offsetting global bag sales since 2020. We've partnered with a leading company in carbon offsetting innovation, C Level.

WORKING IN PARTNERSHIP WITH:





CARBON OFFSETTING GLOBAL BAG SALES SINCE 2020.

Our offsetting has drawn .350 tonnes of CO2 down to Earth.

Projects we work with: CommuniTree. Trees for Global Benefit and Hadza Hunters.


Numatic are working with us to take things even further, with more Carbon Balancing and looking at long term future goals.

Daren Howarth | CEO & Founder C Level | change culture not climate



Our Services

We believe cleaning floors should be simple. It's about having the right equipment and right support; it really doesn't have to be more complicated than that. Simple cleaning, complete support.



Digital Services

"Increase cleaning productivity with training and support at your fingertips."



The Complete Cleaning Solution

The UK's most comprehensive range of cleaning solutions, serving customers in all industries.





Healthcare

Working closely with the Healthcare industry, raising cleaning standards and productivity.

of cleanliness and hygiene can be challenging, when working against the demands and pressures of a busy and diverse hospital, clinic or care home. You need cleaning equipment that meets your needs completely.





Education

Creating clean environments to work, learn and play.

Clean environments don't only deliver increased hygiene and safety, but also more positive, creative and comfortable environments for their users.





E Logistics & Handling

Increasing cleaning performance and productivity for the Logistics & Handling industry around the clock.





Hospitality

You don't get a second chance at a first impression.





Construction

Robust and reliable equipment that has the power and performance to tackle whatever you throw at it.

equipment for every eventuality, ready to withstand the drops, bangs and scrapes that can happen frequently in the professional trade environment.





Facilities Management

Collaborating with the Facilities Management industry delivering on high-quality, bespoke cleaning equipment for every sector.

Customers are seeking to overcome new challenges and solve problems; we have the solution. Whether you need to clean large shopping centres, busy supermarkets, compact store floors or open office spaces, our cleaning solutions deliver advanced cleaning results with maximum cleaning productivity.



HomeCare & Hi-Line

Powerful cleaning from the UK's most popular vacuum brand.


HomeCare & Hi-Line Contents

| Henry / Hetty Quick | 14-15 |
|---------------------------------------|-------|
| Henry / Hetty 160 | 16 |
| Henry / Hetty Eco 160 | 16 |
| Henry Xtra 160 | 16 |
| Henry Petcare 160 | 16 |
| Henry Allergy 160 | 16-17 |
| Henry Wash | 19 |
| Charles | 19 |
| George | 18-19 |
| Henry / Hetty SprayMop | 19 |
| Henry / Hetty 200 | 20 |
| Henry 170 / 170 HEPA | 20 |
| James | 21 |
| Henry Xtra 200 | 21 |
| Henry 240 | 21 |
| HomeCare / Hi-Line Accessories & Kits | 22-23 |

















- Up to 60mins of powerful cordless cleaning
 1 L pod capacity
 A tool for every job
 Climate-positive recycled pods*
 Visit myhenry.com website for more information
 Emptying with no dust, no mess, no fuss
 240x270x1220mm (WxLxH)

| 1L Capacity | 300W Motor | | 3.2KG Weight |
|-----------------------|----------------------|---------|-----------------------|
| Power 25.2V | | Runtim | e up to 60mins |
| Charge Time 2. | 5hrs | Accesso | ries (see page 23) |

Available in Henry Quick Red, Henry Quick Graphite, Hetty Quick Pink and Henry Quick Pet Blue.




Bigger Capacity

Compacts dust inside the pod for more capacity than most leading vacuums.

See page 23 for details.

Visit: myhenry.com/henryquick







NO DUST, NO MESS, NO FUSS

- 2 One-click Dust-free Emptying
- 3 Henry Quick Pet with Mini Motorised Tool







HENRY HVR160



HETTY HET160



- Carpets, hard-floors, cars, stairs, DIYHandy on-board tool storage
- Emptying with no dust and no mess
- 320x340x345mm (WxLxH)

| 6L Capacity | 620W Motor | 7.5KG Weight |
|-------------------------------------|---------------------------|-------------------|
| Pov | ver 230V / AC 50 / | 60Hz |
| Power Cord 10 | .0m Cle | aning Range 25.7m |
| Suction H ₂ 0 230 | Omm Kit | AS0 (see page 22) |

HENRY HVR160 ECO





HETTY HET160 ECO



- Our highest efficiency motor yet
- 30% reduction in energy consumptionPowerful EcoBrush for stubborn dust,
- dirt and pet hair

| □ 320x340x345mm (WxLxH) | | | | | |
|--|---------------|---------------|-----------------------|--|--|
| 6L Capacity | 420W Motor | | 7.7KG Weight | | |
| Power 230V / AC 50/60Hz | | | | | |
| Power Cord 10.0m | | Cleanir | ng Range 25.7m | | |
| Suction H ₂ 0 1750mm | | Kit HS | 1 (see page 22) | | |

HENRY XTRA HVX160





- □ Powerful AiroBrush270 for carpets
- Specialist Hard Floor Tool
- A tool for every job
 Handy on-board tool storage
- Emptying with no dust and no mess
 320x340x345mm (WxLxH)

| 6L Capacity | 620W Motor | | 7.5KG Weight |
|--|-------------------|--------------|-------------------------|
| Po | AC 50/60 | Hz | |
| Power Cord 10.0m | | Clean | ing Range 25.7m |
| Suction H ₂ 0 2300mm | | Kit X | S0 (see page 22) |

HENRY PETCARE HPC160



- Powerful AiroBrush270 for stubborn pet hair on carpets
 Compact AiroBrush140 tackles pet
- hair on the stairs, sofa and in the car

 Odour-reducing MicroFresh Filter
- □ Emptying with no dust and no mess □ 320x340x345mm (WxLxH)
 - 6L 620W

7.5KG Capacity Motor Weight Power 230V / AC 50/60Hz Power Cord 10.0m Cleaning Range 25.7m Suction H₂0 2300mm Kit HS0 (see page 22)

HENRY ALLERGY HVA160



- High-performance Combi Floor Tool
 Specialist FreeFlo Hard Floor Tool
 Advanced, 3-stage Hepa13 filtration

- □ Handy on-board tool storage
 □ Emptying with no dust, no mess, no allergens
 □ 320x340x345mm (WxLxH)

| - OZOKO TOKO TOTTITT (VVXENT) | | | | | |
|-------------------------------|----------------------|----------------------|-------------------------|--|--|
| 6L Capacity | 620W Motor | | 7.7KG Weight | | |
| Power 230V / AC 50/60Hz | | | | | |
| Power Cord 10.0m | | Cleaning Range 25.7m | | | |
| Suction H ₂ 0 230 | 0mm | Kit A S | S9 (see page 22) | | |



Advanced filtration Filtration down to 0.3 microns at 99.95% efficiency

ADVANCED HEPA13 **FILTRATION**



HEPA13 **Filter Cartridge**

Post-motor, lifetime filter makes sure what goes in, stays in, preventing the risk of recirculation and exposure.



High-efficiency TriTex Filter

Traps fine particles within its 3, high-efficiency layers.



Triple-layer HepaFlo Filter Bag

3-layers of high-efficiency filter material and unique self-seal tab, allowing for easy, clean and hygienic emptying.





Awarded the British Allergy Foundation Seal of Approval

Henry Allergy is scientifically proven to reduce exposure to dust and pet-related allergens around the home.

> 1 Reduce Exposure to Household Allergens 2 Mattress Tool for Targeted Cleaning 3 High-efficiency Hard Floor Tool









CEUTE

Whether you want to deep-clean the carpet, suck up spills, unblock the sink, freshen-up furniture, valet the the floor, George is ready to save the day.





66 The best wet and dry out there. Numatic are a **first** class company."

Gordon Martin





Wet Vacuum Range

HENRY WASH HVW370



- Shampoo carpets, clean hard-floors
 Valet the car, refresh the sofa

□ Emergency clean-ups and DIY □ 360x370x510mm (WxLxH)

| 9L / 6L Capacity Wet / Extraction | 1000W Motor | | 9.6KG Weight |
|---|----------------|---------|----------------------|
| Power 2 | AC 50/60H | z | |
| Power Cord 10.0m | 10.0m | | g Range 26.9m |
| Suction H ₂ 0 2400mm | | Kit AS6 | (see page 22) |



CHARLES CVC370



- Versatile wet and dry toolkitUnblock sinks and showers or
- suck up household leaks and spills

 Emergency clean-ups and DIY or valet the car

 360x370x510mm (WxLxH)

| U 300A370A310Hilli (VVAEALI) | | | | | | |
|--|---|----------------------|-----------------|--|--|--|
| 15L / 9L Capacity Dry / Wet | 1 | 000W Motor | 9.0KG Weight | | | |
| Power 230V / AC 50/60Hz | | | | | | |
| Power Cord 10.0m Cleaning Range 26.4m | | | | | | |
| Suction H ₂ 0 2400mm | | Kit AS21 | (see page 22) | | | |



Henry & Hetty SprayMop Perfect all-rounderSwivel designEasy-fit mop padsOn-board liquid dispenser 1 Easy-fill Liquid Dispenser 2 Foot and Hand Pump to Release Liquid





GEORGE GVE370



- 4-in-1 wet, dry, extraction and upholsteryRevive carpets, clean hard-floors, refresh the sofa,

| | | (| | | |
|--|-----------------------------------|-------------------------------------|----------------------|------------------|--|
| | 15L / 9L Capacity Dry / Wet | 6L Extraction Capacity | 1000W Motor | 11.0KG Weight | |
| | Power 230V / AC 50/60Hz | | | | |
| | Power Cord | 10.0m | Cleaning Range 26.8m | | |
| Suction H ₂ 0 2400mm | | Kit A26A (s | ee page 22) | | |



Hi-Line Range

Over 15 million made and most still in use... Henry really is the vacuum you can trust.

HENRY HVR200 HETTY HET200

Henry Original

The original 200 series, a trusted and familiar face on the outside with the latest innovation inside.



- Carpets, hard-floors, cars, stairs, DIY
- Handy on-board tool storage

| | Emptying | with no | dust | and | no | mess | |
|---|----------|---------|---------------|-------|----|------|--|
| _ | 310v360v | /270mm | \ \ \ \ \ \ \ | I vH) | | | |

| 9L Capacity | 620W Motor | | 7.3KG Weight | | |
|--|----------------------|----------------------|------------------------|--|--|
| Power 230V / AC 50/60Hz | | | | | |
| Power Cord 10.0m | | Cleaning Range 26.4m | | | |
| Suction H ₂ 0 2300mm | | Kit AS | 0 (see page 22) | | |

ADVANCED HEPA13 FILTRATION

1 HEPA13 Filter Cartridge


Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency. Our most advanced filtration in the Henry vacuum series.



Traps fine dust within its high-efficiency, triple-layer membrane.

3 Triple-layer HepaFlo Filter Bag

unique self-seal tab, allowing for easy, clean



HENRY HVR170 HEPA



Carpets, hard-floors, cars, stairs, DIY
 Certified HEPA13 filtration down to

Versatile toolkit

HENRY HVR170

- 620W 8.0KG 7.2L Capacity Power 230V / AC 50/60Hz
- Carpets, hard-floors, cars, stairs, DIY
 Handy on-board tool storage 0.3 microns at 99.95% efficiency Handy on-board tool storage Emptying with no dust and no mess360x370x390mm (WxLxH) Emptying with no dust and no mess360x370x390mm (WxLxH) 620W 8.2KG 7.2L Capacity Motor Weight Power 230V / AC 50/60Hz Power Cord 10.0m Cleaning Range 26.4m Power Cord 10.0m Cleaning Range 26.4m Suction H₂0 2300mm Kit AS0 (see page 22) Suction H₂0 2300mm

3-layers of high-efficiency filter material and and hygienic emptying.













JAMES JVP180



- Carpets, hard-floors, cars, stairs, DIY Convenient cable replacement system
- Handy on-board tool storage
- Emptying with no dust and no mess 340x365x360mm (WxLxH)

| 8L Capacity | 620W Motor | | 6.0KG Weight | |
|---------------------------------|----------------------|---------|-----------------------|--|
| Power 230V / AC 50/60Hz | | | | |
| Power Cord 10.0m | | Cleanir | ng Range 25.6m | |
| Suction H ₂ 0 2300mm | | Kit AS | 0 (see page 22) | |

HENRY XTRA HVX200



- Powerful AiroBrush270 for carpets
- Carpets, hard-floors, cars, stairs, DIY
- Handy on-board tool storage
- Emptying with no dust and no mess
- 340x360x370mm (WxLxH)

Power Cord 10.0m

Suction H₂0 2300mm

| 9L | 620W | 8.0K0 |
|-----------|----------------------|--------|
| Capacity | Motor | Weight |
| Pov | ver 230V / AC 50/60I | |

Cleaning Range 26.4m

Kit XS0 (see page 22)

HENRY HVR240



- Carpets, hard-floors, cars, stairs, DIYBumper for wall and door protection
- Handy on-board tool storage
- Emptying with no dust and no mess
 360x370x415mm (WxLxH)
 - 620W 9 0KG

| Capacity | | otor | Weight |
|------------------------------|-----|----------------------|------------------|
| Power 230V / AC 50/60Hz | | | |
| Power Cord 10.0m | | Cleaning Range 26.4m | |
| Suction H ₂ 0 230 | 0mm | Kit AS | (0 (see page 22) |

HENRY PETCARE

Driven by Henry's powerful airflow, the AiroBrush270 easily picks-up stubborn pet hair from carpets.



HENRY PETCARE HPC200



- Powerful AiroBrush270 for stubborn
- pet hair on carpets

 Compact AiroBrush140 tackles pet hair on the stairs, sofa and in the car
- Odour-reducing MicroFresh Filter
 Carpets, hard-floors, cars, stairs, DIY
- Emptying with no dust and no mess
 340x360x370mm (WxLxH)

Suction H₂0 2300mm

| 9L Capacity | | OW otor | 8.0KG Weight |
|-----------------------|-----|-------------------|-----------------------|
| Power 23 | | AC 50/60H | łz |
| Power Cord 10 | .0m | Cleanin | ng Range 26.4m |

Kit HS0 (see page 22)



HomeCare / Hi-Line

Accessories & Kits





| 601008 | Stainless Steel Extension Tube (x2) |
|--------|---|
| 601052 | Stainless Steel Tube Bend with NPC Volume Control |
| 915909 | 2.2m FloMax Conical Hose |
| 912358 | 280mm ProFlo Combination Floor Tool |
| 601141 | Double Taper Hose / Tool Adaptor |
| 601142 | 240mm Crevice Tool |
| 601144 | 65mm Dusting Tool |
| 601145 | 150mm Mattress Tool |
| 601146 | 150mm Slide-on Brush Tool |
| | |

KIT AS9 - 909193 601008 912358

| | 001110 |
|--------|--|
| 601008 | Stainless Steel Extension Tube (x2) |
| 601052 | Stainless Steel Tube Bend with NPC Volume Control |
| 914411 | 2.2m FloMax Conical Hose |
| 912358 | 280mm ProFlo Combination Floor Tool |
| 601430 | 290mm FreeFlo Floor Tool |
| 601141 | Double Taper Hose / Tool Adaptor |
| 601142 | 240mm Crevice Tool |
| 601144 | 65mm Dusting Tool |
| 601145 | 150mm Mattress Tool |
| 601146 | 150mm Slide-on Brush Tool |
| | 601052 914411 912358 601430 601141 601142 601144 601145 |

KIT XS0 - 909146

| | 001140 |
|-------|---|
| 60100 | Stainless Steel Extension Tube (x2) |
| 60105 | 2 Stainless Steel Tube Bend with NPC Volume Control |
| 91441 | 1 2.2m FloMax Conical Hose |
| 91235 | 8 280mm ProFlo Combination Floor Tool |
| 90742 | AiroBrush270 Turbo Brush |
| 90091 | 300mm MultiFlo Dry Brush Tool |
| 60114 | Double Taper Hose / Tool Adaptor |
| 60114 | 2 240mm Crevice Tool |
| 60114 | 65mm Dusting Tool |
| 60114 | 5 150mm Mattress Tool |
| 60114 | 150mm Slide-on Brush Tool |

KIT HS0 - 909145



| | . , |
|--------|---|
| 601052 | Stainless Steel Tube Bend with NPC Volume Control |
| 914411 | 2.2m FloMax Conical Hose |
| 912358 | 280mm ProFlo Combination Floor Tool |
| 907424 | AiroBrush270 Turbo Brush |
| 907475 | AiroBrush140 Hand Turbo Brush |
| 601141 | Double Taper Hose / Tool Adaptor |
| 601142 | 240mm Crevice Tool |
| 601144 | 65mm Dusting Tool |
| 601145 | 150mm Mattress Tool |
| 601146 | 150mm Slide-on Brush Tool |
| | |



| 601008 | Stainless Steel Extension Tube (x2) | |
|--------|---|--|
| 601052 | Stainless Steel Tube Bend with NPC Volume Control | |
| 914411 | 2.2m FloMax Conical Hose | |
| 912358 | 280mm ProFlo Combination Floor Tool | |
| 601228 | EcoBrush190 Turbo Brush | |
| 601141 | Double Taper Hose / Tool Adaptor | |
| 601142 | 240mm Crevice Tool | |
| 601144 | 65mm Dusting Tool | |
| 601145 | 150mm Mattress Tool | |
| 601146 | 150mm Slide-on Brush Tool | |



| 601008 | Stainless Steel Extension Tube (x2) | |
|--------|---|--|
| 601052 | Stainless Steel Tube Bend with NPC Volume Control | |
| 914413 | 2.0m Threaded Hose | |
| 902071 | 300mm Combination Floor Tool | |
| 900954 | 300mm MultiFlo Wet Pick-up Tool | |
| 601141 | Double Taper Hose / Tool Adaptor | |
| 601142 | 240mm Crevice Tool | |
| 601144 | 65mm Dusting Tool | |
| 601145 | 150mm Mattress Tool | |
| 601146 | 150mm Slide-on Brush Tool | |

KIT AS6 - 911124



| 1 | Wood or was a second |
|--------|-------------------------------------|
| 908584 | Stainless Steel Trigger Valve Wand |
| 601008 | Stainless Steel Extension Tube (x2) |
| 907235 | 100mm Upholstery Extraction Tool |
| 914766 | 2.5m Bayonet Hose |
| 578002 | 275mm Fishtail Extraction Tool |
| 907474 | 300mm Dual Scrub / Wet Pick-up Tool |
| 907233 | Spray Tube C/W x2 clips |
| 907234 | 2.9m Solution Tube C/W x6 clips |

KIT A26A - 607326

| 601006 | Lower Tool Extraction Tube | 601009 | |
|--------|---------------------------------------|---------------|--------|
| | | 601006 | |
| 601008 | Stainless Steel Extension Tube | | 914765 |
| 601009 | Extraction Trigger Bend Tube | 601008 | |
| 601225 | 100mm Upholstery Extraction Tool | 601968 | |
| 907474 | 300mm Dual Scrub / Wet Pick-up Tool | 601968 | |
| 914765 | 1.9m Bayonet Hose | | |
| 601968 | CleanTec Trigger Valve and Spray Tube | 601142 | 601299 |
| 601299 | 3.0m CleanTec Extraction Hose | | |
| 601126 | 275mm Fishtail Extraction Tool | | |
| 902071 | 300mm Combination Floor Tool | 601141 601144 | |
| 601141 | Double Taper Hose / Tool Adaptor | 001141 001144 | |
| 601142 | 240mm Crevice Tool | 601145 | 601146 |
| 601144 | 65mm Dusting Tool | 601126 | |
| 601145 | 150mm Mattress Tool | | III |
| 601146 | 150mm Slide-on Brush Tool | 907474 | 902071 |
| | | | |

HENRY HEPAFLO BAGS

10 Bag Pack (NVM-1CH) 907075

Henry Bags are the perfect fit,

maximising capacity and

All Numatic vacuum bags are 100% carbon neutral.

Genuine Henry HepaFlo Bags are suitable for use with Henry, Hetty, Harry and James.

5 Bag Pack (NVM-1CH) 907076

Designed for Henry, by Henry

airflow, delivering peak suction.



HENRY QUICK PODS







HENRY / HETTY QUICK BOXED ACCESSORIES

| 915242 | UK Plug and Cable | 915170 | 0150 | | | 40 | 915 | 629 |
|--------|--------------------------------------|--------|-------------|----------|-----------|--------|-----------|----------|
| 915243 | EURO Plug and Cable | | 91535 | 23 | | # | | |
| 915170 | Quick Battery | 9 | | | | #4 | | 1 |
| 915351 | Wall Mount | - | | 1000 | 044 | 4303 | | W. |
| 915353 | Extension Handle | 915351 | 1111 | - | 914 | 1303 | | <i>r</i> |
| 914303 | Floor Tool (Red) | 313031 | 04504 | 0.45040 | | | * | |
| 914305 | Floor Tool (Pink) | - | 91524 | 915243 | . 🐧 🎈 | A A | 915 | 630 |
| 914746 | Floor Tool (Graphite) | • | | | | | | 000 |
| 915352 | Quick Handy Kit | 915527 | 1 | 7 7 | 7 | | | M |
| 915358 | Brush Bar | | - | K / ~ | | 914305 | | |
| 915527 | Mini Motorised Tool | | | | , | | | F |
| 915354 | Wand (Red) | | The same of | | | | 4 8 | , |
| 915355 | Wand (Pink) | | - | I DE 13 | | | 9156 | 631 |
| 915356 | Wand (Graphite) | | | | | | | in. |
| 915629 | Handheld Unit (Red) | | Scent Pods | | W. | - 40 | | line. |
| 915630 | Handheld Unit (Pink) | 915352 | -0 | | | 914746 | | W. |
| 915631 | Handheld Unit (Graphite) | 313032 | 0 | | | 7-J4W | | ' |
| 914593 | Vanilla Scent Pods (Pack of 10) | | | | | | 4 | |
| 915350 | Passionfruit Scent Pods (Pack of 10) | 60 | | N | S 8 | | | į, |
| 915674 | Rose Scent Pods (Pack of 10) | | | - W | AV 3 | v 🧀 | 9150 | 358 |
| 915357 | Scent Pod Cap | • | 915357 | 915354 | 915355 91 | 15356 | Attention | |
| | • | • | | | | | * | |

PRO ACCESSORY KIT - 909257

The Henry **ProKit** has been designed to provide the best possible and most convenient cleaning results from your Henry.

Includes:

- □ AiroBrush270
- □ AiroBrush140 □ Hard Floor Tool
- Intended for dry use only.









BOXED ACCESSORIES

| 909585 | 280mm ProFlo Combination Floor Tool |
|--------|-------------------------------------|
| 909553 | AiroBrush270 Turbo Brush |
| 909554 | AiroBrush140 Hand Turbo Brush |
| 909555 | 300mm MultiFlo Dry Brush Tool |
| 909556 | Multi Angle Tool |
| 909557 | 2.0m FloMax Conical Hose |
| 909558 | Flexi Crevice Tool |
| 909560 | TriTex Filter 11" / 280mm |
| 909559 | TriTex Filter 12" / 305mm |
| 909562 | MicroFresh Filter 11" / 280mm |
| 909561 | MicroFresh Filter 12" / 305mm |
| 909563 | 32mm Stainless Steel Tube Set |
| 909564 | Handy Kit (A4) |
| 909587 | Mattress Tool + Slide-on Brush |
| 909565 | Crevice Tool |
| 909566 | Dusting Tool |
| 909567 | Henry Kit (AS0) |
| 909257 | ProKit |
| 912405 | PetKit 11" |
| 910295 | PetKit 12" |
| 911812 | Car and Stair Kit |
| 912180 | Reach Kit |

CleanCare

CleanCare brings power, performance and reliability to our commercial cleaning product range.

CleanCare Contents

| Eco ReFlo Range | 26-27 |
|------------------------------|-------|
| ProLine Range | 28-29 |
| Numatic Quick | 30-31 |
| Sanitise Pro Sprayers | 32 |
| NX300 Pro Cordless Network | 33-35 |
| Mains Cable Backpacks | 36 |
| Steel Tops | 37 |
| MicroLine | 37 |
| Aircraft Line | 38 |
| Dry Big Capacity Vacuums | 39 |
| Wet or Dry Vacuums | 40 |
| Wet Vacuums | 41 |
| Wet & Dry Vacuums | 42 |
| Carpet Extraction Vacuums | 43-45 |
| CleanCare Kits & Accessories | 46-47 |









Eco ReFlo Range

WORKS HARDER LASTS LONGER **BUILT SMARTER**



Using our 420W high-efficiency motor, the Eco ReFlo Range delivers powerful cleaning while reducing energy usage and cost.*



Made from the highest quality, recycled plastic.



- 1 Long-reach Hi-Vis 10m Cable
- 2 Cable Tidy and Carry Handle
- 3 Powerful Cleaning on Carpets and Hard-floors







Calculate Your Savings

Find out how much money you could save every year by switching to an Eco ReFlo Vacuum by visiting numatic.com/ERP180 or scanning the QR Code

*1 Potential savings provided for guidance only, actual savings may differ dependent on usage and energy cost. Based on using 4 hours per day, over 260 days

and £0.286kWh (as of 10/23 UK).



£267.70

£124.92

620 Watts



8L 420W 6.0KG Capacity Motor Weight

□ High-efficiency, economical cleaning

Carpets, hard-floors, cars, stairs, DIY
 Handy on-board tool storage

Plugged cable340x365x360mm (WxLxH)

Sustainably engineered from a minimum 45% recycled plastic, including accessories

ERP180

Power Cord 10.0m Cleaning Range 26.4m Suction H₂0 1750mm Kit AS0 (see page 46)

EPR170



- Equipped with our highest efficiency motor yet
- Carpets, hard-floors, cars, stairs, DIY
 Extra reach 12.5m cable with trouble-free
- Butta reach 12.5m cable with trouble-free reach and additional on-board tool storage
 Sustainably engineered from a minimum 20% recycled plastic, including accessories
 Plugged cable
 Emptying with no dust and no mess
 360x370x390mm (WxLxH)

7.2L 420W Capacity Motor Weight Power 230V / AC 50/60Hz

8.1KG Power Cord 12.5m Cleaning Range 31.4m Kit AS0 (see page 46)

EPR170 HEPA



- Equipped with our highest efficiency motor yet
 Carpets, hard-floors, cars, stairs, DIY
- Certified HEPA13 filtration down to
 0.3 microns at 99.95% efficiency
- Sustainably engineered from a minimum 20% recycled plastic, including accessories
- Plugged cable
 Emptying with no dust and no mess
- □ 360x370x390mm (WxLxH)

| 7.2L Capacity | 420W Motor | | 8.3KG Weight | | |
|----------------------|--------------------------------|--|-----------------------|--|--|
| Pov | Power 230V / AC 50/60Hz | | | | |
| Power Cord 12 | Power Cord 12.5m | | ng Range 31.4m | | |

Kit AS0 (see page 46)

ProLine Range

The ProLine Plugged Vacuums are packed full of great features and provide powerful, professional cleaning technology from a high-efficiency, long-life motor in a choice of sizes.

PSP180



- □ Carpets, hard-floors, cars, stairs, DIY
- Handy on-board tool storageProfessional accessory kit
- Plugged cable
- □ 340x365x360mm (WxLxH)

| = 0 Toxodoxodomini (TXZIII) | | | | | | |
|-----------------------------|-------------------|----------------------|------------------|--|--|--|
| 8L Capacity | 620W Motor | | 6.0KG Weight | | | |
| Power 230V / AC 50/60Hz | | | | | | |
| Power Cord 10.0m | | Cleaning Range 26.4m | | | | |
| | | Kit AS | 60 (see page 46) | | | |

PSP240



- Carpets, hard-floors, cars, stairs, DIY
- Bumper for wall and door protectionHandy on-board tool storage
- Plugged cable
- 360x370x415mm (WxLxH)

| 9L | 620 | | 8.0KG | | |
|--|-----|----------------------|-------------------------|--|--|
| Capacity | Mo | tor | Weight | | |
| Power 230V / AC 50/60Hz | | | | | |
| Power Cord 10.0m | | Cleaning Range 26.4m | | | |
| Suction H ₂ 0 2300mm | | Kit AS | 60 (see page 46) | | |

PSP370



- □ Carpets, hard-floors, cars, stairs, DIY
- Bumper for wall and door protectionHandy on-board tool storage
- □ Plugged cable
 □ 360v370v510mm (M/vLvH)

| U 300X370X310HIHI (VVXEXH) | | | | | | | |
|----------------------------|--|--|-------------------|---------------|-----------------------|--|--|
| (G ht | | 15L Capacity | 620W Motor | | 9.0KG Weight | | |
| | | Pov | ver 230V / | łz | | | |
| .4m | | Power Cord 10 | Power Cord 10.0m | | ng Range 26.4m | | |
| 46) | | Suction H ₂ 0 2300mm | | Kit AS | 60 (see page 46) | | |

PRP180



- Sustainably engineered from a minimum 45% recycled plastic, including accessories
- Carpets, hard-floors, cars, stairs, DIY
- Handy on-board tool storage
- Professional accessory kit
- Plugged cable
- 8L 620W 6.0KG Capacity Power Cord 10.0m Cleaning Range 26.4m Suction H₂0 2300mm Kit **AS73** (see page 46)

PPR170*



- Easy replacement plugged cable systemBumper for wall and door protection
- Compact and convenient Emptying with no dust and no mess

Suction H₂0 2300mm

7.2L 8.1KG 620W Capacity Motor Weight Power 230V / AC 50/60Hz Power Cord 12.5m Cleaning Range 31.4m

PPR170 HEPA*



- Easy replacement plugged cable systemBumper for wall and door protection
- Compact and convenient
 Emptying with no dust and no mess
- Certified HEPA13 filtration down to
- 0.3 microns at 99.95% efficiency
- 360x370x390mm (WxLxH) 620W 8 3KG

| / .ZL | 020 | 788 | o.snu |
|------------------------------|-------------------|---------------|-------------------------|
| Capacity | Motor | | Weight |
| Po | wer 230V / | AC 50/60H | łz |
| Power Cord 12 | 2.5m | Cleani | ng Range 31.4m |
| Suction H ₂ 0 230 | 00mm | Kit AS | 60 (see page 46) |

*Note: Not standard UK model, please contact your Numatic representative for information.

Kit ASO (see page 46)



NRV240



Contractors' Choice

- Carpets, hard-floors, cars, stairs, DIY Bumper for wall and door protection
- Handy on-board tool storageEmptying with no dust and no mess

Suction H₂0 2300mn

- 9.0KG 9.0L 620W Capacity Motor Weight Power Cord 12.5m Cleaning Range 31.8m

Kit NS1 (see page 46)

PPR240/ PPR370



Contractors' Choice

Suction H₂0 2300mm

- Bumper for wall and door protection
- Long cleaning reach
- Emptying with no dust and no messPlugged cable rewind □ 360x370x415mm (WxLxH) PPR240
- 360x370x510mm (WxLxH) PPR370 01 /151 | 620W | 0 0/10 0KG | | 01 /151 | 620W | 12 3/12 6KG

| | 9L/15L Capacity 240/370 | Motor | 9.0/10.0KG Weight 240/370 | | | | | |
|---|-------------------------------|-------|---------------------------------|--|--|--|--|--|
| | Power 230V / AC 50/60Hz | | | | | | | |
| | Power Cord 12.5m | | Cleaning Range 31.4m | | | | | |
| _ | | | | | | | | |

Kit AS0 (see page 46)

PPT220/ PPT390



- □ Convenient, lift-off storage caddy
- Telescopic handle for ease of transit and storage
 Large rear wheels for ease of use on stairways

- Plugged cable rewind
 355x355x615mm (WxLxH) PPT220
 355x355x655mm (WxLxH) PPT390

| 9L/13L Capacity 220/390 | Motor | 12.3/12.6KG Weight 220/390 | | |
|-------------------------------|-----------------------|----------------------------------|--|--|
| F | Power 230V / A | AC 50/60Hz | | |
| Power Cord 12.5m | | Cleaning Range 31.4m | | |

| Power 230V / AC 50/60HZ | | | | |
|--|------------------------------|--|--|--|
| Power Cord 12.5m | Cleaning Range 31.4m | | | |
| Suction H ₂ 0 2300mm | Kit AS0 (see page 46) | | | |

Numatio

NUMATIC QUICK NQ100



- Up to 120mins of powerful cordless cleaning
 1L pod capacity
 Advanced user comfort
 Interchangeable Lithium-lon battery
 Clean dirt disposal
 1 Year Warranty for Commercial use
 240x270x1220mm (WxLxH)


| 1L Capacity | | OW otor | 3.2KG Weight |
|-----------------------------------|---|---|-----------------|
| Power 25.2\ | / | Runtime 120mins (60mins per battery) | |
| Charge Time 2hrs 30mins (per l | | | ee page 46) |





Bigger Capacity Compacts dust inside the pod for more capacity than most leading vacuums.

Visit: numatic.com/quick





POWERFUL CORDLESS **DUST-FREE**







1 & 2 Motorised Brush Head 3 Ergonomic Handle for Extra Comfort 4 Handy Tools



Sanitise Pro Sprayers



HIGH-PRESSURE MISTING **DISINFECTION SYSTEM**

The Sanitise Pro Sprayers deliver 99.999% efficiency in inactivating and destroying pathogens.

NSU370

| □ 360x370x510mm (WxLxH) | | | | |
|--------------------------------|--------------|----------------------|----------------------|--|
| 5L Capacity | 45W Motor | | 7.2KG Weight | |
| Max Pump Pressure 15Bar/217PSI | | | | |
| Optimum Spray Distance 1.0m | | | | |
| Dr | oplet Size (| 65-75Micro | ons | |
| Power Cord 10 | 0.0m | Cleaning Range 12.0m | | |
| Flow 150ml/min | | Hose | e Length 2.2m | |
| | | | | |





| 5L Capacity | 6HRS Battery Life | | 13.0KG Weight |
|--|----------------------|-------------------------------------|------------------|
| Optimum Spray Distance / Max 1.0 / 2.0m | | Max Pump Pressure 15Bar / 217PSI | |
| Droplet Size 60-70Microns | | Tank Empty 31mins | |
| Flow 140ml/min | | Ho | se Length 1.5m |



99% effective in inactivating and destroying pathogens when using complete Sanitise Pro Syste on comprises NSU370 / RSU150NX Mist Unit applying TECcare® Control Disinfectant Solution.

1 & 2 Precision High-Pressure Misting System 3 Stay Cleaning for Longer with 6hrs Runtime







Pro Cordless Wet Vacuum

CORDLESS, CLEAN, SAFE

Eliminate the risk of slips, trips and falls with no cable, perfect for cleaning up spills in high-traffic areas.

Numatite NEX

- Entrance Lobbies
- Washrooms & Toilets



WBV370NX






- □ Perfect for High-Traffic Areas

- All-Hours Cleaning
 All-Hour Fast Charge
 NX300 Pro Cordless Network
 Continuous 40 Minute Runtime

| 9L/15L Capacity Wet/Dry | _ | OOW Motor | 9.3KG Weight | |
|--|--------------------------------|---------------------|---------------------------|--|
| Power L | wer Lithium Battery 36V | | | |
| Runtime 40mins | Runtime 40mins | | Charge 1hr 80% / 2hr 100% | |
| Max Airflow 49L/Sec | Max Airflow 49L/Sec | | Max Pressure 145mBar | |
| Suction H ₂ 0 2200mm | ₂ 0 2200mm | | 5 (see page 47) | |
| | | | | |

- 1 ProFlo Wet Floor Tool
- 2 Easy Battery Change
- 3 Battery Level Indicator









Pro Cordless Network

NX300 Pro Cordless Network delivers professional level performance to a versatile and expanding range. Quicker, safer and more convenient, switching to Pro Cordless increases productivity levels, saving time and money.

Visit: numatic.com/NX300



2.0KG

300Wh

1hr 80% / 2hrs 100%

Up to 2500



Note: Higher ambient temperatures may increase charge time.



NBV190NX





- Newly developed high-performance digital motor Part of NX300 Pro Cordless Network
 80mins runtime and 1 hour fast charge
- g 340x340x340mm (Wxl xH)

| 8L Capacity | 350W Motor | | 7.7KG Weight |
|-----------------------|---------------|--------------|------------------|
| Po | wer Lithiu | m Battery 36 | 5V |
| Puntimo Hi 50 / Lo | 20mine | Chargo 1h | 200/ / 2brs 100% |

Kit AS55 (see page 46)

NBV240NX





- Newly developed high-performance digital motor
- Part of NX300 Pro Cordless Network
- 80mins runtime and 1 hour fast charge
- Bumper for wall and door protection 360x340x415mm (WxLxH)

| 9L Capacity | 350W Motor | | 8.1KG Weight |
|--|---------------|----------------------------|------------------|
| Power Lithium Battery 36V | | | |
| Runtime Hi 50 / Lo | 80mins | Charge 1hr 80% / 2hrs 100% | |
| Suction H ₂ 0 1896mm | | Kit AS 5 | 55 (see page 46) |



- Newly developed high-performance digital motor
- Part of NX300 Pro Cordless Network
- 80mins runtime and 1 hour fast charge
- Convenient lift-off storage caddy
- Telescopic handle for ease of transit and storage
- 400x450x615mm (WxLxH)

| 9L Capacity | 350W Motor | | 10.5KG Weight | |
|--|---------------|-----------------|-------------------------|--|
| Power Lithium Battery 36V | | | | |
| Runtime Hi 50 / Lo 80mins | | Charge 1h | r 80% / 2hrs 100% | |
| Suction H ₂ 0 1896mm | | Kit AS 5 | 55 (see page 46) | |

RSB150NX

Suction H₀0 1896mm





- Newly developed, high-performance digital motor
 Part of NX300 Pro Cordless Network
- 80mins runtime and 1 hour fast chargeUser comfort with ergonomic harness
- Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency (HEPA Model Only)

 320:320:570mm (Model VIII)

| 5L Capacity | 350W 8.2/8.6KG Motor Weight 150NX/150NXH | | |
|---------------------------|---|----------------------------|--|
| Power Lithium Battery 36V | | | |
| Runtime Hi 5 | 0 / Lo 80mins | Charge 1hr 80% / 2hrs 100% | |
| Suction H₂0 1896mm | | Kit AAT30E (see page 47) | |

Why use NX300 Pro Cordless Network?















Energy Cost

Cleaning



Mains Cable Backpacks

Compact, comfortable and convenient, the RSV150 goes wherever you go, making it the perfect cleaning solution for tight and awkward cleaning.









Available as a standard or HEPA model

- 1 Breathable Mesh Panel
- 2 Integrated Hand Control
- 3 Adjustable Cushioned Shoulder Straps

RSV150



RSV150 HEPA



Increase Cleaning Productivity

- Compact, comfortable and convenient design
- Generous 5L capacityExtra-long 15.0m cable
- User comfort with ergonomic harness
 Emptying with no dust and no mess
 Certified HEPA13 filtration down to 0.3 microns
- at 99.95% efficiency (HEPA Model Only)
- g 330x330x570mm (Wxl xH)

| 5L Capacity | 620W Motor | | 7.4/7.8KG Weight 150/150H |
|--|----------------------|---|----------------------------------|
| Power 230V / AC | | | 50/60Hz |
| Power Cord | Cord 15.0m | | Cleaning Range 36.4m |
| Suction H ₂ 0 2300mm | | K | it AAT30E (see page 47) |

Steel Tops

Featuring an all-steel head, the Steel Tops range not only provides exceptional strength, it's also quiet and efficient.

NQS250 / NQS250B

ALL-STEEL



10.0KG

Cleaning Range 26.4m

Kit AS0 (see page 46)

780W

All-steel construction, tough and hard-wearing Blower facility and diffuser attachment (NQS250B)

Quick and easy cable replacement

NVQ240



- Heavy-duty, all-steel power head Quick and easy cable replacement
- g 360x370x415mm (Wxl xH)

| 9L Capacity | 780W Motor | | 9.65KG Weight | |
|---------------------------------|-------------------|---------------|------------------------|--|
| Power 230V / AC 50/60 Hz | | | | |
| Power Cord 10.0m | | Cleanir | ng Range 26.4m | |
| Suction H ₀ 0 2350mm | | Kit AS | 0 (see page 46) | |

NVQ370



- □ Heavy-duty, all-steel power head Quick and easy cable replacement
- g 355x355x485mm (Wxl xH)

| 15L Capacity | 780W Motor | | | 0KG eight |
|------------------------|-------------------|---------------|----------|---------------------|
| Pov | ver 230V / | / AC 50/60 Hz | | |
| Power Cord 10 | .0m | Cleanir | ng Range | 26.4m |
| | | | | |

NVQ380



- Heavy-duty, all-steel power head
- Tough Structofoam construction
 Quick and easy cable replacement

| 15L Capacity | 780W Motor | | 11.35KG Weight | | |
|---------------------------------|-------------------|---------|-------------------------|--|--|
| Power 230V / AC 50/60 Hz | | | | | |
| Power Cord 10.0m | | Clean | ing Range 26.4m | | |
| Suction H 0.2250mm | | l∕i+ Λ∙ | 20 (200 page 46) | | |

MicroLine

CRQ370



- Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency
- Emptying with no dust and no mess Quick and easy cable replacement
- Plugged cable rewind
 355x355x465mm (WxLxH)
- 620W

| Capacity | IVIOLOI | vveigrit |
|--------------------------------|-----------|-----------------------|
| Powe | Hz | |
| Power Cord 12.5 | m Cleanir | ng Range 31.4m |
| Suction H ₂ 0 2300n | nm Kit AS | 60 (see page 46) |

10.0KG



- □ Certified HEPA13 filtration down to 0.3 microns at 99.95% efficiency
- Advanced 5-Stage filtration system Conforms to ISO 14644-1 Class 5 classification Quick and easy cable replacement
- Emptying with no dust and no mess
 355x355x485mm (WxLxH)
- 11.5KG Capacity Motor

| Fower 230V / | Cleaning Range 26.4m Kit A1 (see page 46) | |
|---------------------------------|--|--|
| Power Cord 10.0m | Cleaning Range 26.4m | |
| Suction H ₂ 0 2300mm | Kit A1 (see page 46) | |

High-efficiency 5-stage pre and post-motor HEPA13 filtration conforming to ISO 14644-1 Class 5 cleanroom classification.

ADVANCED FILTRATION



mumatic.com (+44 (0)1460 68600 37

Aircraft Line

The Pro Harness offers enhanced operator comfort, increasing cleaning efficiency, capability and productivity, without any uncomfortable distractions.

RSAV130

- User comfort with ergonomically designed harnessHigh-efficiency filtration

| 250x360x440mm (WxLxH) | | | | |
|---|---------------|---------|-----------------------|--|
| 6L Capacity | 960W Motor | | 7.37KG Weight | |
| Po | | | z | |
| Power Cord 18 | .2m | Cleanir | ng Range 43.2m | |





1 High-efficiency Hard Floor Tool 2 Easily Remove Bags and Filters

AVQ250



- All-steel construction, tough and hard-wearing
- Aircraft specification
- 340x340x395mm (Wxl xH)

| 9L Capacity | 960 Mot | | 10.62KG Weight |
|--|-------------------|--------------|-------------------------|
| Por | wer 110V / | AC 400 | Hz |
| Power Cord 18. | 2m | Clean | ing Range 43.2m |
| Suction H ₂ 0 2500mm | | Kit A | S4 (see page 46) |

AVQ380



- Heavy-duty, all-steel power headPatented MicroTec noise reduction system
- Aircraft specification
- n 355x355x485mm (Wxl xH)

| 15L Capacity | 960W Motor | | 11.82KG Weight |
|-------------------------------------|----------------------|-----------|-------------------------|
| Po | ower 110V | / AC 400H | łz |
| Power Cord 18 | o. co.a 1 0.2 | | ing Range 43.2m |
| Suction H ₂ 0 250 | | | S4 (see page 46) |

Dry Big Capacity Vacuums

Power and performance in industrial terms needs to be matched to long-life, reliability and user satisfaction.

"The NVQs are ideal for numerous trades where they must frequently be moved from one place to another, while still requiring a large and generous working capacity."

NVQ570/ NVDQ570



- □ Tough Structofoam construction Directional castors for ease of transit
 Quick and easy cable replacement
- 415x415x645mm (WxLxH)

| 23L Capacity | 960W Motor (NVQ) | | 960Wx2 Motor (NVDQ) | |
|--------------------------|---------------------|------|------------------------|--|
| Power 230V / AC 50/60 Hz | | | | |
| Weight 16.5kg | (NVQ) | Wei | Weight 18.7kg (NVDQ) | |
| Power Cord 10.0m | | Clea | Cleaning Range 26.8m | |
| | | | | |



- Tough Structofoam constructionPull handle for ease of transit
- Quick and easy cable replacement

| 40L | 960W | 960Wx2 |
|----------|-------------|--------------|
| Capacity | Motor (NVQ) | Motor (NVDQ) |

| Power 230V / AC 50/60 Hz | | |
|---|-----------------------|--|
| Power 230V Weight 25.2kg (NVQ) Power Cord 10.0m Suction H ₂ 0 2300mm | Weight 27.7kg (NVDQ) | |
| Power Cord 10.0m | Cleaning Range 26.8m | |
| Suction H ₂ 0 2300mm | Kit BS2 (see page 47) | |





1 Large Rear Wheels for Excellent Mobility 2 High-efficiency ProFlo Dry Floor Tool


STRUCTOFOAM

Cellular structure provides strength and flexibility

Incredibly tough and long-lasting

Kit BS2 (see page 47)

- Hard-wearing and chemical-resistant
- Exceptional strength-to-weight ratio
- Lightweight and ergonomic structure



Wet or Dry Vacuums

Professional power and performance in either mode.

- Ready for Wet or Dry
- Built to Last
- Powerful & Professional Performance

WV370



- Wet or dry
 Compact and easy to store
 Lightweight with easy carry handle
- Convenient emptying
 360x370x510mm (WxLxH)

| 15L Capacity Dry | 9L Capacity Wet | | 1000W Motor |
|----------------------------|--------------------|----------------------|--------------------|
| Power 230V / AC 5 | | | eight 9.0kg |
| Power Cord 10 | .0m | Cleaning Range 26.8m | |
| Suction H.O 240 | Omm Kit A1 | | 1 (see nage 47) |

WV470 Fold Down

- Wet or dryCompact and capableConvenient folding transit handle
- Large rear wheels for ease of movement
 360x370x710mm (WxLxH)

| 27L | 20L | | 1000W | |
|--------------|--------------|--|-------|--|
| Capacity Dry | Capacity Wet | | Motor | |
| 5 2001//405 | 0 (0011 | | | |

| Power 230V / AC 50/60Hz | Weight 9.6kg | |
|---------------------------------|------------------------------|--|
| Power Cord 10.0m | Cleaning Range 26.8m | |
| Suction H ₂ 0 2400mm | Kit A11 (see page 47) | |

WV570/ WVD570



- $\hfill \square$ Wet or dry
- Easy emptying
 Heavy-duty Structofoam construction
 Convenient cable replacement system
- a 415x415x645mm (Wxl xH)

| 23L/15L Capacity Dry/Wet | 1000W 1000Wx2 Motor (WVD) Motor (WVD) | | | |
|-----------------------------|--|----------------------|-------------------------|--|
| Power 230V / AC 50/60Hz | | | | |
| Weight 16.3kg (WV) | | Weig | ht 18.5kg (WVD) | |
| Power Cord 10.0m | | Cleaning Range 26.8m | | |
| Suction H 0 2400m | m | Kit B | CQ (coo page 47) | |

WV900 / **WVD900**

- Wet or dry
- Easy empty tip handle
- Heavy-duty Structofoam construction
- Convenient cable replacement system 490x800x880mm (Wxl xH)

| (| , | | | |
|-----------------------------|--|----------------------|---------------------------------|--|
| 40L/32L Capacity Dry/Wet | Capacity Dry/Wet Motor (WV) Power 230V / AC 50/60 | | 1000Wx2 Motor (WVD) | |
| Power | | | VAC 50/60Hz Weight 28.0kg (WVD) | |
| Weight 25.2kg (W | | | | |
| Power Cord 10.0m | | Cleaning Range 26.8m | | |
| | | Kit B | S8 (see nage 47) | |



Wet Vacuums

Enhanced with increased efficiency in wet pick-up.

- Unrivalled Performance
- Huge Capacity
- Easy, Clean & Safe Emptying





WV1800DH /

- Easy emptying with rear dump hose
 Heavy-duty Structofoam construction
- Rear Auto Pump for continuous water extraction
- (AP model only)
- Convenient cable replacement system 684x785x935mm (WxLxH)

| l | 70L Capacity | 1000 Motor (| | 1000Wx2 Motor (WVD) |
|---|--|------------------------|---------------------------------|--------------------------|
| 1 | Power 230V / AC 50/60Hz | | Weight 31.5kg (WV1800DH) | |
| | Weight 34.0kg (WVD1800DH) | | Weight | 40.4kg (WVD1800AF |
| ı | Power Cord 10.0m | | Cle | aning Range 26.8m |
| 2 | Suction H ₂ 0 2400mm | | Kit | BS7 (see page 47) |
| 8 | | | | |

Wet use only

WVD2000DH /

WVD2000AP

- Bobust steel chassis for ease of transit
- Easy emptying with rear dump hose
 Heavy-duty Structofoam head construction
- Convenient cable replacement system
 Rear Auto Pump for continuous water extraction
- (AP model only)

 = 640x530x970mm (WxLxH)
- 70L 1000Wx2 Weight 28.9kg (WVD2000DH) Weight 36.4kg (WVD2000AP) Cleaning Range 26.8m Suction H₂0 2400mm Kit BS7 (see page 47)
- 1 Auto Pump for Continuous Water Extraction
- 2 High-efficiency ProFlo Wet Floor Tool





Wet & Dry Vacuums

The unique high-efficiency, dual washable filter system in the CV range enables the user to switch from dry to wet pick-up without the hassle of changing filters or kits.

Effortlessly switch from dry to wet with no hassle.

- Wet & Dry System
- High-efficiency
- □ A Tool for Every Job










- Wet and dry pick-up
- Washable lifer system
 Heavy-duty Structofoam construction
 415x415x645mm (WxLxH)

| 13L Capacity | 1000W Motor (CV) | | 1000Wx2 Motor (CVD) |
|-------------------------|---------------------|----|---------------------------|
| Power 230V / AC 50/60Hz | | | 60Hz |
| Weight 16.3k | g (CV) | We | eight 18.5kg (CVD) |

CV900/ **CVD900**

- Wet and dry pick-upWashable filter systemHeavy-duty Structofoam construction
- Convenient emptying
 490x800x880mm (WxLxH)

| | 30L Capacity | 1000 Motor (| | 1000Wx2 Motor (CVD) |
|---|------------------------|---------------------|-----|-------------------------------|
| 1 | Р | Power 230V / | | 60Hz |
| | Weight 25.2kg | Weight 25.2kg (CV) | | eight 27.7kg (CVD) |
|] | Power Cord 1 | Power Cord 10.0m | | aning Range 26.8m |
| 7 | Suction H 0 2400mm | | Kit | RS8 (see page 47) |



- 1 Dry Floor Tool Pick-up
- 2 Clean, Dry Floors Again and Again
- 3 Colonic Wet and Dry System
- 4 Easy Emptying





Tipping Handle for Easy Emptying

Carpet Extraction Vacuums

The compact CleanTecs provide the combination of a PowerFlo liquid pump supply and efficient wet pick-up facility, all incorporated in one unit.

The All-Purpose 4-in-1 carpet and upholstery cleaners.

- Ready for Anything
- Powerful Cleaning Results
- Tank Within a Tank

CT370

- upholstery cleaning and car valeting
- Compact and easy to store Large rear wheels for ease of transit
 360x370x510mm (WxLxH)

| | 15L Capacity Dry | 9L Capacity Wet | | 1000W Motor |
|---|-------------------------|---------------------------|---------|-----------------------|
| Г | Power 230V / AC 50/60Hz | | We | ight 11.23kg |
| | Power Cord 10.0m | | Cleanir | ng Range 26.8m |
| Г | 0 11 110 0100 | | 10: 44 | 4=1 |



- Wet, spray extraction carpet cleaning, upholstery cleaning and car valeting
- Compact and easy to store Large rear wheels and folding handle for ease of transit
 360x370x710mm (WxLxH)

| 27L Capacity Dry | 20L Capacity Wet | | 1000W Motor |
|--|----------------------------|---------|-----------------------|
| Power 230V / AC 50/60Hz | | We | eight 14.4kg |
| Power Cord 10.0m | | Cleanir | ng Range 26.8m |
| Suction H ₀ 0 2400mm | | Kit A40 | A (see page 47) |



Ergonomic convenient folding handle, large rear wheels and directional castors ease stability during transit.

1 Upholstery Extraction Tool 2 Fishtail Extraction Tool 3 Convenient Carry Handle











Carpet Extraction Vacuums

The CleanTec range provides powerful cleaning results with tough construction, huge capacity and long-life TwinFlo bypass motors so it is easy to store, always on hand and ready for anything.

The All-Purpose 4-in-1 carpet and upholstery cleaners.

- Ready for Anything
- Powerful Cleaning Results
- Tank Within a Tank

CT570 / **CTD570**



- Wet, spray extraction carpet cleaning, upholstery cleaning and car valeting
- Heavy-duty Structofoam construction
 Convenient cable replacement system
- 415x415x645mm (WxLxH)

| 23L/15L Capacity Dry/Wet | | 00W or (CT) | 1000Wx2 Motor (CTD) |
|--|--|--------------------|-------------------------------|
| Power 230V | | AC 50/60 |)Hz |
| Weight 18.98kg (CT) | | Weig | ht 20.0kg (CTD) |
| Power Cord 10.0m | | Clean | ing Range 26.8m |
| Suction H ₂ 0 2400mm | | Kit A4 | IA (see page 47) |



- Wet, spray extraction carpet cleaning, upholstery cleaning and car valeting
- Easy emptying with tip handle
 Heavy-duty Structofoam construction
- 490x800x880mm (WxLxH)

| 40L/32L Capacity Dry/Wet | | 00W or (CT) | 1000Wx2 Motor (CTD) |
|-----------------------------|--|--------------------|-------------------------|
| Power 230V / | | AC 50/60 |)Hz |
| Weight 25.28kg (CT) | | Weig | ht 27.78kg (CTD) |
| Power Cord 10.0m | | Clean | ing Range 26.8m |

Kit A41A (see page 47)



"The PowerFlo pump system injects the cleaning solution deep into the carpets in a continuous deep cleaning cycle."

> 1 Ideal for Car Valeting 2 Upholstery Extraction Tool

TRIJET CARPET CLEANING

- Uniform fluid distribution
- Easy pull-back movement
- Heavy-duty, Aluminium construction

NHL15



- Carpet cleaning and upholstery / spot cleaning tools
 Uniform fluid distribution with TriJet carpet extraction
- □ Hi-Lo system for pressure when you need it
 □ 435x425x725mm (WxLxH)

| 15L Capacity | 1000W Motor | | 35.0KG Weight |
|-------------------------|----------------|-------|------------------------|
| Power 230V / AC 50/60Hz | | | |
| Power Cord 10.0m | | Clean | ing Range 26.8m |

Kit **BS27** (see page 47)







1 & 2 High-performance, TriJet Carpet Extraction Tool 3 Upholstery and Spot Cleaning Extraction Tool

CleanCare Kits

Dry Kits



| 601008 | Stainless Steel Extension Tube (x2) |
|--------|---|
| 601052 | Stainless Steel Tube Bend with NPC Volume Control |
| 915909 | 2.2m FloMax Conical Hose |
| 912358 | 280mm ProFlo Combination Floor Tool |
| 601141 | Double Taper Hose / Tool Adaptor |
| 601142 | 240mm Crevice Tool |
| 601144 | 65mm Dusting Tool |
| 601145 | 150mm Upholstery Tool |
| 601146 | 150mm Slide-on Brush for Upholstery Tool |
| | |

KIT NS1 - 607365



| | 601008 | Stainless Steel Extension Tube (x2) |
|----------------------------------|--------|--|
| | 601027 | Stainless Steel Bend with (Black) Volume Control |
| 601107 1.9m NuFlex Threaded Hose | | |
| | 902070 | 300mm Combination Floor Tool |
| 601142 240mm Crevice Tool | | 240mm Crevice Tool |
| | 601144 | 65mm Soft Dusting Brush |

KIT A1 - 607301



| 601052 | Stainless Steel Tube Bend with NPC Volume Control |
|--------|---|
| 915907 | 2.2m Parallel Hose |
| 902071 | 300mm Combination Floor Tool |
| 601141 | Double Taper Hose / Tool Adaptor |
| 601142 | 240mm Crevice Tool |
| 601144 | 65mm Soft Dusting Brush |
| 601145 | 150mm Upholstery Tool |
| 601146 | 150mm Slide-on Brush for Upholstery Tool |
| | |

Specialised Kits



| 914979 | 1.2m NuFlex RSAV Threaded Hose |
|--------|---|
| 601008 | Stainless Steel Extension Tube (x2) |
| 601052 | Stainless Steel Tube Bend with NPC Volume Control |
| 902071 | 300mm Combination Floor Tool |
| 601141 | Double Taper Hose / Tool Adaptor |
| 601144 | 65mm Soft Dusting Brush |
| | |



| 6 | THE RESERVE TO SERVE | | | |
|--------|---|---|--------|-------------------------|
| | | | 602102 | 2.4m NuFlex Threaded H |
| 914980 | 1.2m RSB / RSV150 Hose | | 602931 | Aluminium Tube Bend |
| 915195 | Aluminium Tube Bend with NPC Volume Control | | 602920 | Aluminium Extension Tub |
| 914759 | Aluminium Telescopic Wand | | 602384 | 400mm ProFlo Brush / Ri |
| 902923 | 270mm ProFlo Combination Floor Tool | | 601144 | 65mm Soft Dusting Brush |
| 601141 | Double Taper Hose / Tool Adaptor | | 602159 | 38/32mm Adaptor |
| 601144 | 65mm Soft Dusting Brush | | 602160 | 305mm ABS Crevice Too |
| | | i | | |



NUMATIC QUICK BOXED ACCESSORIES





| | | 601144 |
|---|--------|---|
| | 601008 | Stainless Steel Extension Tube (x2) |
| | 601052 | Stainless Steel Tube Bend with NPC Volume Control |
| | 914761 | 1.9m Parallel Hose |
| | 912358 | 280mm ProFlo Combination Floor Tool |
| • | 601142 | 240mm Crevice Tool |
| | 601144 | 65mm Soft Dusting Brush |

Wet Kits



| 915907 | 2.2m Parallel Hose |
|--------|--|
| 601027 | Stainless Steel Bend with (Black) Volume Control |
| 601008 | Stainless Steel Extension Tube (x2) |
| 900954 | 300mm MultiFlo Wet Pick-up Tool |
| 900918 | 300mm MultiFlo Dry Brush Tool |
| | • |

KIT BS7 - 607249



| | 602102 | 2.4m NuFlex Threaded Hose | | |
|--|--------|-------------------------------------|--|--|
| | 602919 | Stainless Steel Tube Bend | | |
| | 602920 | Stainless Steel Extension Tube (x2) | | |
| | 602380 | 400mm ProFlo Wet Pick-up Floor Tool | | |



| 602102 | 2.4m NuFlex Threaded Hose |
|--------|-------------------------------------|
| 602919 | Stainless Steel Tube Bend |
| 602920 | Stainless Steel Extension Tube (x2) |
| 602380 | 400mm ProFlo Wet Pick-up Floor Tool |
| 602381 | 400mm ProFlo Dry Pick-up Floor Tool |
| | |

NX300

915752 USA

915753 S.AFRICA 915754 JPN

Specialised Kits

NX300 ACCESSORIES



NX300 Dual

KIT AS55 - 916028



| 10 | 601144 | | | | |
|----------|---|--|--|--|--|
| octoria) | 601145 | | | | |
| 914413 | 2.0m Parallel Hose | | | | |
| 601008 | Stainless Steel Extension Tube (x2) | | | | |
| 601052 | Stainless Steel Tube Bend with NPC Volume Control | | | | |
| 912358 | 280mm ProFlo Combination Floor Tool | | | | |
| 601141 | Double Taper Hose / Tool Adaptor | | | | |
| 601142 | 240mm Crevice Tool | | | | |
| 601144 | 65mm Soft Dusting Brush | | | | |
| 601145 | 150mm Upholstery Tool | | | | |
| 601146 | 150mm Slide-on Brush for Upholstery Tool | | | | |

KIT AS4 - 900961



| 601008 | Stainless Steel Extension Tube (x2) |
|--------|---|
| 601052 | Stainless Steel Tube Bend with NPC Volume Control |
| 914411 | 2.2m FloMax Conical Hose |
| 601430 | 290mm FreeFlo Floor Tool |
| 601141 | Double Taper Hose / Tool Adaptor |
| 601142 | 240mm Crevice Tool |
| 601144 | 65mm Dusting Tool |
| 601145 | 150mm Upholstery Tool |
| 601146 | 150mm Slide-on Brush for Upholstery Tool |

Extraction Kits

KIT A40A - 607147



| 601399 | 4.0m CleanTec Extraction Hose | |
|--------|--|--|
| 601009 | Stainless Steel Extraction Trigger Bend Tube | |
| 601006 | Stainless Steel Lower Tool Extraction Tube | |
| 601008 | 601008 Stainless Steel Extension Tube | |
| 601126 | 275mm Fishtail Extraction Tool | |
| 601225 | 100mm Upholstery Extraction Tool | |
| 601968 | CleanTec Trigger Valve and Spray Tube | |

KIT A41A - 607148



| 601399 | 4.0m CleanTec Extraction Hose | |
|--------|--|--|
| 601009 | Stainless Steel Extraction Trigger Bend Tube | |
| 601006 | Stainless Steel Lower Tool Extraction Tube | |
| 601008 | Stainless Steel Extension Tube | |
| 601423 | 275mm Aluminium Extraction Tool | |
| 601225 | 100mm Upholstery Extraction Tool | |
| 601968 | CleanTec Trigger Valve and Spray Tube | |
| | • | |

KIT BS27 - 607248



| 602399 4.0m Clean lec Extraction Hose | | | |
|--|---|---|--|
| | 602922 | Stainless Steel Extraction Tube Bend | |
| | 602920 | Stainless Steel Extension Tube (x2) | |
| 602937 145mm Stainless Steel Extension Tube 602200 CleanTec TriJet Extraction Floor Tool | | 145mm Stainless Steel Extension Tube | |
| | | CleanTec TriJet Extraction Floor Tool | |
| | 602300 | CleanTec TriJet Trigger and Solution Tube | |
| | 602225 100mm Upholstery Extraction Tool | | |
| | | | |

ProCare

Advanced, professional cleaning for the collection and control of dust and hazardous substances.

ProCare Contents

| NuTec Industrial | 50 |
|------------------|-------|
| Anti-Static | 50 |
| Dustcare | 50 |
| M-Class | 51 |
| TradeLine | 51 |
| H-Class | 52-53 |
| ProCare Kits | 54 |









NuTec Industrial

NTD750



- □ TwinFlo 2-motor Structofoam power head
- Industrial vacuum suitable for many applications including; boiler cleaning, floor cleaning, metalworking, dirt, dust or debris, and more

| - o rono ronocommi (rinem) | | | | |
|---------------------------------|----------------------|---------|------------------------|--|
| 35L Capacity | 1000Wx2 Motor | | 20.8KG Weight | |
| Power 230V / AC 50/60Hz | | | | |
| Power Cord 10.0m | | Cleanir | ng Range 26.8m | |
| Suction H ₂ 0 2400mm | | Kit BS | 5 (see page 54) | |

NTD2003



- Big capacity machine with TwinFlo 2-motor Structofoam power head
- Stainless Steel container with heavy-duty chassis □ 560x660x1145mm (WxLxH)

| 60L Capacity | 1000Wx2 Motor | 33.0KG Weight | | | | |
|-------------------------|----------------------|------------------|--|--|--|--|
| Dames 000V / AC 50/60U- | | | | | | |

| 0 0 0 0 0 0 0 0 0 | | | 110.5 | |
|-----------------------------|--|----------------------|-------------------------|--|
| P | ower 230V | / AC 50/60Hz | | |
| Power Cord 10.0m | | Cleaning Range 26.8m | | |
| Suction H ₂ 0 24 | Suction H ₂ 0 2400mm | | 55 (see page 54) | |

NTT2003



- Triplex power head in all-steel construction.
- Mounted on an all-steel heavy-duty chassis, easily
- demounted for emptying = 560x660x1075mm (WxLxH)

| 60L Capacity | 1000Wx3 Motor | | 36.0KG Weight |
|------------------------|----------------------|----------------------|------------------|
| Po | ower 230V / | AC 50/60H | z |
| Power Cord 10.0m | | Cleaning Range 26.8m | |
| Suction H.O 2400mm | | Kit BSF | (see nage 54) |

M-Class



- □ M-Class Compliant IEC/EN 60335-2-69
- High-efficiency internal AirFlo system with Low flo and bag full indicator
- TriTex filtration and HepaFlo filter bag
- Plugged easy cable replacement system Optional Auto Operation Power Outlet Socket

| 23L Capacity | 620W Motor (MES) | | 620Wx2 Motor (MED) |
|----------------------------------|----------------------------|--|-----------------------|
| Power Outlet Sock (MES570A/ME | • | Weight 19.2/20.8kg (MES/MED) | |
| Power 230V / AC 50/60Hz | | Weight 19.3/20.9kg (MES(A)/MED(A) | |
| Power Cord 10.0m | | Cleaning Range 30.0m | |
| Suction H ₂ 0 2300mm | | Kit BS5 (see page 54) | |



- □ M-Class Compliant IEC/EN 60335-2-69
- High-efficiency internal AirFlo system with Low flo and bag full indicator
- TriTex filtration and HepaFlo filter bag
- Plugged easy cable replacement system Optional Auto Operation Power Outlet Socket

| 40L Capacity | 620W Motor (MES) | | 620Wx2 Motor (MED) |
|----------------------------------|---------------------|---|-----------------------------------|
| Power Outlet Sock (MES900A/ME | | | ht 25.1/27.6kg MES/MED) |
| Power 230V / AC 50/60Hz | | Weight 25.2/27.7kg (MES(A)/MED(A) | |
| Power Cord 10.0m | | Cleaning Range 30.0m | |
| Suction H ₂ 0 2300mm | | Kit BS5 (see page 54) | |

L-CLASS H-CLASS

What type of vacuum extractor do you need?



General dust, mixed dust, gypsum



Soft / hardwood, silica, masonry, paint, plastic,



Asbestos

For guidance only. Find out more at www.hse.gov.uk/constructio

Anti-Static Dustcare



- Full anti-static specification in machine and accessories
- The non-conductive specification continually discharges the static build up during use

| U STOXSTOX900ITIIT (WXLXH) | | | | | | |
|--|---------------|-----------------|------------------------|--|--|--|
| 35L Capacity | 960W Motor | | 23.0KG Weight | | | |
| Power 230V / AC 50/60Hz | | | | | | |
| Power Cord 8.5m | | Cleanin | g Range 25.6m | | | |
| Suction H ₂ 0 2500mm | | Kit HA S | S (see page 54) | | | |

NES570/A / NED570/A



- Ontional Auto Operation Power Outlet Socket
- Low flow and bag full indicator
- High-efficiency internal AirFlo system

| 23L Capacity | 620W Motor (NES) | | 620Wx2 Motor (NED) | | | |
|---------------------------------|--|-----------------------|------------------------------|--|--|--|
| Power Outlet | Power Outlet Socket Optional (NES570A/NED570A) | | | | | |
| Power 230V / AC | 50/60Hz | Weight 1 | 8/20kg (NES/NED) | | | |
| Power Cord 10.0m | | Cleaning Range 26.8m | | | | |
| Suction H ₂ 0 2300mm | | Kit BS5 (see page 54) | | | | |

NES900/A / NED900/A



- Ontional Auto Operation Power Outlet Socket
- Low flow and bag full indicator
- High-efficiency internal AirFlo system

| 40L Capacity | 620 Motor | | 620Wx2 Motor (NED) |
|--|--------------|--------------------------|------------------------|
| Power Outlet Socket Optional (NES900A/NED900A) | | | |
| Power 230V / AC 50/60Hz | | Weight 27/29kg (NES/NED) | |
| Power Cord 10.0m | | Cleanir | ng Range 26.8m |
| Suction H ₂ 0 2300mm | | Kit BS | 5 (see page 54) |
| | | | |

TradeLine

Compact, tough and highly mobile, the TradeLine vacuum combines a specialist on tool extractor with a big clean-up machine to cover almost any application.

TEL390S



- □ L-Class Compliant IEC/EN 60335-2-69
- Huge cleaning reach, with 10m cable and 2.9m hose Large rear wheels for ease of transit
- 400x450x600mm (WxLxH)

| 18L Capacity | 620W Motor | | 10.8KG Weight |
|------------------------|----------------------|-----------|-----------------------|
| Pov | wer 230V / | AC 50/60H | łz |
| Power Cord 10.0m | | Cleanir | ng Range 28.0m |
| | | | |



- □ M-Class Compliant IEC/EN 60335-2-69
- Huge cleaning reach, with 10m cable and 2.9m hose
 Large rear wheels and extending pull handle for ease of transit
- 2200W Automatic power take-off
- 400x450x1010mm (Wxl xH)

| à | 18L Capacity | 620W Motor | 14.3KG Weight | |
|----------|---------------------------------------|----------------------|-------------------------|--|
| | Power 230V / AC 50/60Hz | | | |
| | Power Cord 10. | .0m Cleani | ng Range 28.0m | |
| | Suction H ₂ 0 230 0 | Omm Kit AS | 10 (see page 54) | |





1 Specialist FreeFlo Tool for Hard Floors 2 Long 10m Cable





mumatic.com +44 (0)1460 68600 51

H-Class

H-Class equipment is the legal requirement when working with high-risk, non-explosive, hazardous dusts and materials, including asbestos.

HZC CARTRIDGE

All dust is safely contained within a sealed, HEPA13 filter cartridge, so you can breathe easy.

Watch the full video at: numatic.com



HZ370



- □ H-Class Compliant IEC/EN 60335-2-69
- TriTex filtration and HepaFlo filter bags
- Compact and ready to go
- Powerful, long-life 960W motor
 355x355x570mm (WxLxH)

HZ570 /

HZD570

| | . ' | | | | |
|--------------------------------|---------------|----------------------|------------------|--|--|
| 15L Capacity | 960W Motor | | 11.0KG Weight | | |
| Power 230V / AC 50/60Hz | | | | | |
| Power Cord 10.0m | | Cleaning Range 26.0m | | | |
| Suction Hall 2500mm | | Kit ΔΔ1 | 8 (see nage 54) | | |



- □ H-Class Compliant IEC/EN 60335-2-69
 □ TriTex filtration and HepaFlo filter bags
- Compact and ready to go Large rear wheels and pull handle
- HZ390S 400x450x600mm (WxLxH)
 HZ390L 400x450x1010mm (WxLxH)

| 18L Capacity | 960W Motor | 11.2KG Weight (S) | | 12.6KG Weight (L) |
|---------------------------------|---------------|----------------------|--------------------|----------------------|
| | Power 230 |) V / | AC 50/60Hz | |
| Power Cord 10.0m | | Cleaning F | Range 26.0m | |
| Suction H ₂ 0 2500mm | | Kit AA18 (| see page 54) | |









- □ H-Class Compliant IEC/EN 60335-2-69
- All-steel head construction
 Plugged easy cable replacement system
- 415x415x746mm (WxLxH)

| 23L Capacity | 960 Motor | | 960Wx2 Motor (HZD) |
|------------------------------------|---------------------|----------------------------|-----------------------------------|
| Power 230V / AC 50/60Hz | | Weight | 18/20kg (HZ/HZD) |
| Power Cord 10.0m | | Sucti | on H ₂ 0 2500mm |
| Cleaning Range (HZ) 26.0m | | Cleaning Range (HZD) 26.8m | |
| Kit AA19 (HZ) (see page 54) | | Kit BB19 | (HZD) (see page 54) |



□ H-Class Compliant - IEC/EN 60335-2-69 All-steel head construction
 Plugged easy cable replacement system 490x800x880mm (WxLxH)

| 40L | 960W | | 960Wx2 |
|------------------------------------|------------|--|-------------|
| Capacity | Motor (HZ) | | Motor (HZD) |
| Power 230V / AC 50/60Hz | | Weight 28/30kg (HZ/HZD) | |
| Power Cord 10.0m | | Suction H ₂ 0 2500mm | |
| Cleaning Range (HZ) 26.0m | | Cleaning Range (HZD) 26.8m | |
| Kit AA20 (HZ) (see page 54) | | Kit BB20 (HZD) (see page 54) | |
| | | | |



1 Easy, Clean and Safe Emptying 2 All-terrain Large Rear Wheels 3 Stainless Steel Gulper / Scraper Tool 4 Transit Safety Cap

Designed, engineered and built with the tradesman in mind, the HZC390 offers a safe and convenient solution for those whose work brings them into infrequent contact with hazardous dusts and materials.





1 All-Steel Head Heavy-duty power head.

HZC Disposable Cartridge

HEPA H13 Filter conforms to EN1822. Fits all HZC machines.

Robust Drum

Tough drum construction with all-terrain large rear wheels for stairs and uneven surfaces.

HZC390S / HZC390L

- □ H-Class Compliant IEC/EN 60335-2-69
- Disposable filter cartridge
- Quick, simple and safe emptying
- Compact and ready to go
 HZ390S 400x450x600mm (WxLxH)
 HZ390L 400x450x1010mm (WxLxH)
- 1000W 12.2KG 13.0KG

| Capacity | IVIOTOR | vveignt (5) | vveignt (L) | l |
|---------------------------------|------------|----------------------|--------------|---|
| | Power 230V | / AC 50/60Hz | | |
| Power Cord 10.0m | | Cleaning Range 26.0m | | |
| Suction H ₂ 0 2500mm | | Kit AA16 (s | see page 54) | |



HZC DISPOSABLE CARTRIDGE



- □ HEPA H13 Filter Conforms to EN1822
 □ Fits all HZC machines
 □ 345x321x283mm (WxLxH)

13L Capacity 1.75KG Weight



ProCare Kits



| 601008 | Stainless Steel Extension Tube (x2) | | |
|--------|---|--|--|
| 601052 | Stainless Steel Tube Bend with NPC Volume Control | | |
| 914762 | 2.8m NuFlex Threaded Hose | | |
| 900918 | 300mm MultiFlo Dry Brush Tool | | |
| 601430 | 290mm FreeFlo Floor Tool | | |
| 601141 | Double Taper Hose / Tool Adaptor | | |
| 601142 | 240mm Crevice Tool | | |
| 601144 | 65mm Soft Dusting Brush | | |
| 601145 | 150mm Upholstery Tool | | |
| 601146 | 150mm Slide-on Brush for Upholstery Tool | | |
| 601176 | Multi Size Power Tool Adaptor | | |
| | | | |

KIT AA16 - 909539



| 915907 | 2.2m Parallel Hose |
|--------|--|
| 601142 | 240mm Crevice Tool |
| 602161 | 152mm Rubber Brush with Soft Bristles |
| 602159 | 38 / 32mm Adaptor |
| 601144 | 65mm Soft Dusting Brush |
| 601141 | Double Taper Hose / Tool Adaptor |
| 601917 | 280mm Stainless Steel Gulper / Scraper Tool (32mm) |
| - | |

KIT AA18 - 902756



| 915907 | 2.2m Parallel Hose | | |
|--------|--|--|--|
| 601142 | 240mm Crevice Tool | | |
| 602161 | 152mm Rubber Brush with Soft Bristles | | |
| 602159 | 38 / 32mm Adaptor | | |
| 601144 | 65mm Soft Dusting Brush | | |
| 601141 | Double Taper Hose / Tool Adaptor | | |
| 601917 | 280mm Stainless Steel Gulper / Scraper Tool (32mm) | | |
| 908229 | Roll of 10 x 120L Waste Bags (700 x 1100mm), Grey | | |

KIT AA19 - 902757 / AA20 - 902758



| 915907 | 2.2m Parallel Hose (AA19 HZ570) |
|--------|--|
| 601101 | 2.4m NuFlex Threaded Hose (AA20 HZ900) |
| 604017 | 10 x (NVM-3BH) HepaFlo Dust Bags (AA19 HZ570) |
| 604019 | 10 x (NVM-4BH) HepaFlo Dust Bags (AA20 HZ900) |
| 601142 | 240mm Crevice Tool |
| 602161 | 152mm Rubber Brush with Soft Bristles |
| 602159 | 38 / 32mm Adaptor |
| 601144 | 65mm Soft Dusting Brush |
| 908229 | Roll of 10 x 120L Waste Bags (700 x 1100mm), Grey |
| 601141 | Double Taper Hose / Tool Adaptor |
| 601917 | 280mm Stainless Steel Gulper / Scraper Tool (32mm) |
| 604116 | Primary PermaTex Filter for 356mm Machine |
| | |

KIT BB19 - 607349 / BB20 - 607350




| 602102 | 2.4m NuFlex Threaded Hose | | |
|--------|--|--|--|
| 604017 | 10 x (NVM-3BH) HepaFlo Dust Bags (BB19 HZD570) | | |
| 604019 | 10 x (NVM-4BH) HepaFlo Dust Bags (BB20 HZD900) | | |
| 602161 | 152mm Rubber Brush with Soft Bristles | | |
| 604144 | 65mm Soft Dusting Brush | | |
| 908229 | Roll of 10 x 120L Waste Bags (700mm x 1100mm) | | |
| 602160 | 305mm ABS Crevice Tool | | |
| 602923 | 280mm Stainless Steel Gulper / Scraper Tool (38mm) | | |
| 602159 | 38 / 32mm Adaptor | | |

KIT BS5 - 607335

KIT HAS - 607661







FloorCare

Providing innovative, reliable and effective floorcare solutions, even in the most demanding environments.

FloorCare Contents


| Hurricane / NuSpeed Range | 58-59 |
|---------------------------|-------|
| TwinTec Mains Range | 60 |
| Nu-Assist | 61 |
| NX300 FloorCare Range | 62-65 |
| NX1K Lithium Range | 66-69 |
| Brushes & Pad Drives | 70-71 |
| FloorCare Accessories | 72-73 |











Lightweight

A light commercial or domestic machine. Suited to the non-professional cleaner. Perfect for a variety of flooring options, including vinyl, slate, limestone and quarry tiles.

Polishing

Professional higher speed machines for spray cleaning and polishing a variety of floors including vinyl and wood.

Scrubbing

Professional use machines for a range of deep-cleaning situations in leisure, industry and floor maintenance.

Burnishing

Professional, ultra-high speed machines for burnishing vinyl floors treated with metallised emulsion polishes - for the wet-look shine with specialised UH speed floor pads.

General Purpose

Medium speed machines for a variety of uses and floor types. Lighter scrubbing and polishing on vinyl, stone and wood.

Heavy-Duty Scrubbing

Specialist scrubbing machine with extra weight for heavy-duty situations.

Please note information provided is for guidance only, please consult manufacturers guidance before use. *Refer to manufacturer/supplier's data sheet for advice as not all wood/laminates are waterproof.

Hurricane Range



HNS1550G Fully adjustable handle

High-speed burnisherSimple load adjustment 560x740x1260mm (WxLxH) 500MM 1500W 35.0KG Deck Size Weight Power 230V / AC 50Hz Cleaning Range 32.0m

Pad Pressure - Variable

Brush Speed 1500rpm

Pad Size 500mm

Vacuum Dry - Optional

NuSpeed Range



Power **230V / AC 50Hz** - 1545G

Brush Speed RPM 1515G - **150** | 1523G - **230** | 1530G - **300** | 1545G - **450**

Vacuum Dry - Optional

Brush Size 450mm

- Optional solution tank
- Folds flat for easy storage Full range of brushes and pads
- 330x540x1145mm (WxLxH)

| | | 18.0KG Weight | |
|-----------------------------|------|----------------------|--|
| Power 230V / AC 50Hz | | Cleaning Range 32.0m | |
| Tank Capacity 4.0L | | Speed 200rpm | |
| Brush Size 330mm | | Pad Size 330mm | |
| | 50Hz | .OL Brush | |



Fully Adjustable Handle

TwinTec Mains Range

The TwinTec 1840 Mains Cable machine has been designed to address the question of size, whilst being exceptionally compact, with a performance equal to bigger machines.

TT1840G

- □ Performance of a bigger machine
- Clean, dry and safe floorsEasy brush or pad change
- User-friendly controlsFully adjustable handle
- 520x880x1132mm (WxLxH)

| 18L Tank Capacity | 400W Brush Motor | | 38.5KG Weight |
|------------------------|----------------------------|-----------------------|------------------|
| F | ower 230\ | / / AC 50Hz | 2 |
| Deck Size 400mm | | Cleaning Range 42.0m | |
| Brush Size 400mm | | Pad Size 360mm | |
| Vac Motor 300W | | Brush Speed 150rpm | |





Sustainable Cleaning

Our Centrifugal Water

The TwinTec Mains Cable range has masterful performance moving under its own brush power with amazing speed and purpose. Available with 450mm or 550mm scrub width.







TT4045G



- Simple controls
 Fully adjustable handle
- Tilting deck for easy brush / pad change

| 40L Tank Capacity | 150 Brush | OW Motor | 67.0KG Weight |
|--------------------------|-----------------------------|-----------------------|------------------|
| F | Power 230V / AC 50Hz | | |
| Deck Size 450mm | | Cleaning Range 42.0m | |
| Brush Size 450mm | | Pad Size 400mm | |
| Vac Motor 1200W | | Brush Speed 150rpm | |

TT4055G

- □ Simple controls
 □ Fully adjustable handle
 □ Tilting deck for easy brush / pad change
 □ 560x935x1100mm (WxLxH)

| Т | 40L Tank Capacity | 1500W Brush Motor | | 68.0KG Weight |
|---|-----------------------------|-----------------------------|-----------------------|----------------------|
| | F | ower 230V | / AC 50Hz | |
| | Deck Size 550mm | | Cleaning | g Range 42.0m |
| | Brush Size 550mm | | Pad Size 500mm | |
| | Vac Motor 1200W | | Brush S | Speed 150rpm |

- Fully Adjustable Handle
- 2 Tilting Deck for Easy Brush Change and Storage

No.Assist

Training & Support Around the Clock

The Nu-Assist App offers the benefit of online training through a simple, versatile and user-friendly solution, resulting in increased cleaning performance and productivity.

- □ 24/7 Access to Multilingual Training
- On hand Troubleshooting and Maintenance
- Increased Cleaning Productivity
- Product Training

How it works


- 1. Scan the QR Code on Machine
- 2. Open in App or Mobile Browser
- 3. View Quick Start Videos
- 4. Carry Out Maintenance Checklist
- **5.** Complete Operation Training




















NX300 FloorCare Range

Power the Entire Fleet with NX300 Pro Cordless Network.

The NX300 Pro Cordless Network provides the opportunity of continuous cleaning through hot-swapping batteries across a versatile and expanding range.

- Enhanced Energy Storage
- One Fits All Productivity
- Cost Effective
- 1-Hour Fast Charge
- NX300 Pro Cordless Network





- 1 TTB1840NX Battery Replacement
- 2 TTB3045NX Battery Replacement

NEW 244NX-R



- 80mins runtime1 hour fast charge
- One-pass performance Centrifugal water delivery
- Sustainably engineered from a minimum
 20% recycled plastic, including accessories
 Part of NX300 Pro Cordless Network
- 520x450x1180mm (WxLxH)

| 2.2L | 3L | 100W | 140RPM | | |
|------------------------|------------------|--------------|------------------------|--|--|
| Tank | Recovery | Vac | Brush | | |
| Capacity | Tank | Motor | Speed | | |
| Por | Power 36V | | Brush Motor 2x200W | | |
| F | Recharge Time | 1hr 80% / 2h | rs 100% | | |
| Deck S | ize 440mm | Runtir | ne Up to 80mins | | |
| Brush/Pad Size 2x220mm | | n Net | Weight 21.3kg | | |
| | | | | | |

NEW TTB1840NX-R



- 1 hour fast chargeClean, dry, safe and streak-free floors
- Centrifugal water deliverySustainably engineered from a minimum
- 45% recycled plastic, including accessories

 Part of the NX300 Pro Cordless Network
- Folds flat for easy storage520x850x1132mm (WxLxH)

| 18L | 100W | 4(| MMOC | 150RPM | | |
|-----------------------|------------------|-----|-----------------------------|---------------------|--|--|
| Tank | Vac | Vac | | Brush | | |
| Capacity | Motor | | Size | Speed | | |
| Pov | Power 36V | | | Brush Motor 175W | | |
| F | Recharge Time 1h | | | 100% | | |
| Brush Size 400mm | | | Runtime Up to 60mins | | | |
| Pad Size 360mm | | | Net W | eight 34.0kg | | |

NEW TTB3045NX-R



- □ 70mins runtime
- 1-hour fast charge
- Compact machine, big resultsHot-swapping between batteries
- Sustainably engineered from a minimum 45% recycled plastic, including accessories Part of the NX300 Pro Cordless Network
- 470x890x1100mm (WxLxH)

| 210W | 450MM | | 100RPM |
|-------------------------|-------------------------------|---------------------------------------|--|
| Vac | Deck | | Brush |
| Motor | Size | | Speed |
| Power 2x36V | | | Motor 300W |
| charge Time | ∋ 1hr | 80% / 2hrs | 100% |
| Brush Size 450mm | | | Up to 70mins |
| Pad Size 400mm | | Net W | eight 79.0kg |
| | Motor 2x36V charge Time 450mm | Motor 2x36V charge Time 1hr e 450mm | Motor Size 2x36V Brush charge Time 1hr 80% / 2hrs e 450mm Runtime |

Note: Subject to region availability, please contact your Numatic representative for information.




See page 9 for more information

NEW 244NX-R REFO

70% LABOUR SAVING 80% LOWER WATER USE

The 244NX-R is lightweight and easy to use, leaving floors clean, dry, safe and streak-free, whilst reducing labour costs by 70% and water use by 80%.*





Watch the full video at: numatic.com/244NX

Easy to Use Simple to set up and easy to use



Removable clean tank with "No-Spill" Cap



Adjustable Water Flow

Easily adjustable water flow to suit cleaning needs



Foot-operated Brush Deck

Simple and easy to engage brush deck



Working in partnership with


Charity: water

EVERY 244NX-R FUNDS 5000L OF WATER TO COMMUNITIES WHO NEED IT.

Since 2021, we have donated

Litres of Water to Projects Around the World.

See pages 6-7 for more information or visit: numatic.com/charitywater



*20% represents the minimum use of recycled plastic in 244NX-R, including accessories.

4x Longer Lasting than Lead Batteries

Runs Longer

Configurable performance that suits you, offering increased runtime of up to 44%*. Ensuring you can keep cleaning when it is most convenient for you.

More Sustainable

NX1K lasts longer than lead alternatives, significantly reducing material use and disposal, providing a much more sustainable solution.

Fast & Flexible Charging

Unlike Lead, NX1K Fast Charge Technology allows completely flexible charging, allowing you to use your machine whenever you need to, no matter how much it's charged. NX1K Fast Charge Technology drives productivity, providing you an increase in machine availability in comparison to Lead.

Extended Long Life Power

Delivering over 4000 charge cycles, NX1K will last as long as your machine. Utilising the latest Lithium Phosphate Technology, NX1K is one of the safest battery platforms on the market. A 8-year battery warranty provides complete peace of mind for you and your cleaning fleet.†

Mu-Track Insights

Built-in with our intelligent fleet management telemetry system, Nu-Track provides in-depth insights, lowering costs and increasing productivity across your fleet.‡



†8-Year Warranty subject to terms and market availability, please contact Numatic for more information.

‡ Nu-Track subject to market / model availability.





"Investing in Lithium, compared to routinely replacing lead batteries and associated service costs, provides a positive return on investment across the NX1K Range, therefore saving you money."

NX1K Lithium Range



TBL4045



- Compact design
- Powerful cleaning results
 Fast & flexible charging
- Configurable battery performance that suits you
- On-board charging
 805x1155x1160mm (WxLxH)

| 40L Tank Capacity | 400W Vac Motor | | 140RPM Brush Speed | |
|-----------------------------|--------------------------|--------------------|-------------------------|--|
| Brush Motor 30 | 0W D | | ck Size 450mm | |
| Pad Size 400m | Pad Size 400mm | | Brush Size 450mm | |
| 1 x Battery | 1 x Battery | | 2 x Battery | |
| Runtime 1hr 40n | Runtime 1hr 40mins | | Runtime 3hrs 10mins | |
| Recharge Time 2hrs 30mins | | Recharge Time 5hrs | | |
| Net Weight 119.3kg | | Net | Weight 136.6kg | |

TBL4055



- Compact design
- Powerful cleaning results
 Fast & flexible charging
- Configurable battery performance that suits you
- On-board charging948x1200x1160mm (WxLxH)

| 40L Tank Capacity | 400W Vac Motor | | 140RPM Brush Speed | |
|---------------------------|--------------------------|-------------------------|-----------------------|--|
| Brush Motor 30 | ow | De | ck Size 550mm | |
| Pad Size 508m | ım | Brush Size 550mm | | |
| 1 x Battery | 1 x Battery | | 2 x Battery | |
| Runtime 1hr 38n | Runtime 1hr 38mins | | Runtime 3hrs 9mins | |
| Recharge Time 2hrs 30mins | | Recharge Time 5hrs | | |
| Net Weight 113.9kg | | Net Weight 124.7kg | | |

TBL4055T



- Compact design
- Powerful cleaning results
- Fast & flexible charging
 Configurable battery performance that suits you

| | Iraction of | drive r | nakes | cleaning | inclines | sater | and | е |
|---|-------------|---------|-------|----------|----------|-------|-----|---|
| П | 948x1200 | 0x116 | 0mm | (Mx IxW) | | | | |

| 40L Tank Capacity | 400W Vac Motor | | 140RPM Brush Speed | |
|-----------------------------|--------------------------|-------------------------|-----------------------|--|
| Brush Motor 300 | 0W De | | ck Size 550mm | |
| Pad Size 508mm | | Brush Size 550mm | | |
| Traction Drive 250W | | Drive Speed 0-4km/h | | |
| 1 x Battery | | 2 x Battery | | |
| Runtime 1hr 33mins | | Runtime 3hrs 4mins | | |
| Recharge Time 2hrs 30mins | | Recharge Time 5hrs | | |
| Net Weight 123.8kg | | Net Weight 134.7kg | | |

TBL6055



- Big capacity, compact design
 Clean, dry, safe floors in minutes
 Fast and flexible charging
 Stay cleaning for longer with over 3 hours runtime
- On-boarding charging

| □ 948x1425x1120mm (WxLxH) | | | | |
|-----------------------------|--------------------------|-------------------------|-----------------------|--|
| 60L Tank Capacity | 400W Vac Motor | | 140RPM Brush Speed | |
| Brush Motor 300W | | Dec | ck Size 550mm | |
| Pad Size 508mm | | Brush Size 550mm | | |
| 1 x Battery | | | 2 x Battery | |
| Runtime 1hr 40mins | | Runtime 3hrs 10mins | | |
| Recharge Time 2hrs 30mins | | Recharge Time 5hrs | | |
| Net Weight 115.3kg | | Net | Weight 126.1kg | |

TBL6055T



- □ Big capacity, compact design
- Clean, dry, safe floors in minutesFast and flexible charging

- Stay cleaning for longer with up to 3 hours runtime
 On-boarding charging
 Traction drive makes cleaning inclines safer and easier
 948x1425x1120mm (WxLxH)

| 60L Tank Capacity | | OW Motor | 140RPM Brush Speed | |
|-----------------------------|---------------------------|--------------------|-------------------------|--|
| Brush Motor | 300W | Dec | ck Size 550mm | |
| Pad Size 508 | Pad Size 508mm | | Brush Size 550mm | |
| Traction Drive | Traction Drive 250W | | Drive Speed 0-4km/h | |
| 1 x Batte | 1 x Battery | | 2 x Battery | |
| Runtime 1hr 30mins | | Runtime 3hrs | | |
| Recharge Time 2h | Recharge Time 2hrs 30mins | | narge Time 5hrs | |
| Net Weight 141.1kg | | Net Weight 152.0kg | | |

TBL8572



- Dual brush designPowerful cleaning results
 - Fast & flexible charging
 Configurable battery performance that suits you

| - Grown order or man (made) | | | | | |
|------------------------------|--------------------------|---------------------------|-----------------------|--|--|
| 85L Tank Capacity | 400W Vac Motor | | 150RPM Brush Speed | | |
| Brush Motor 60 | 0W | De | eck Size 720mm | | |
| Pad Size 2x360r | mm | Brush Size 2x370mm | | | |
| Traction Drive 40 | Traction Drive 400W | | Drive Speed 0-4.2km/h | | |
| 2 x Battery | 2 x Battery | | 3 x Battery | | |
| Runtime 3hrs | | Runtime 4hrs 30mins | | | |
| Recharge Time 5hrs | | Recharge Time 7hrs 30mins | | | |
| Net Weight 204.1kg | | Net Weight 214.9kg | | | |

1 CRL8072

NX1K battery

commercial

vacuum and

performance,

demanding

environments.

grade TwinFlo

brush motor for

unrivaled cleaning

even in the most

platform powers

2 TBL4045 3 TBL6055T

CRL8055



- Compact designPowerful cleaning resultsFast and flexible charging

- Stay cleaning for longer
- On-board charging

| | □ 805x1460x1160mm (WxLxH) | | | | |
|--|---|----------------------------------|------------------------|------------------------|--|
| | 80L Tank Capacity | 400W Vac Motor | | 150RPM Brush Speed | |
| | Brush Motor 60 | 0W | Deck Size 550mm | | |
| | Pad Size 508m | ım | Brush Size 550mm | | |
| | Traction Drive 40 | Traction Drive 400W 1 x Battery | | Drive Speed 0-6km/h | |
| | 1 x Battery | | | 2 x Battery | |
| | Runtime 1hr 20mins Recharge Time 2hrs 30mins Net Weight 139.8kg | | Runtime 2hrs 40mins | | |
| | | | Rech | narge Time 5hrs | |
| | | | Net Weight 150.6kg | | |

CRL8072



- Compact design
 Best in class scrub width
 Fast and flexible charging
 Stay cleaning for longer
- On-board charging948x1450x1160mm (WxLxH)

Net Weight 159.8kg

| | 80L Tank Capacity | 400W Vac Motor | | 150RPM Brush Speed | |
|--|--|-------------------|--|------------------------|--|
| | Brush Motor 60 | | | ck Size 720mm | |
| | Pad Size 2x360r | mm | Brush | sh Size 2x370mm | |
| | Traction Drive 40 | 0W | Drive Speed 0-6km/h | | |
| | 1 x Battery Runtime 1hr 20mins Recharge Time 2hrs 30mins | | 2 x Battery Runtime 2hrs 40mins Becharge Time 5hrs | | |
| | | | | | |
| | | | | | |

Net Weight 170.6kg

TRL720



- User-friendly controls

- Fast and flexible charging
 Configurable battery performance that suits you

| On-board charging 948x1676x1425mm | | | | |
|--|--------------------------|---|-----------------------|------------------|
| 120L Tank Capacity | 600W Vac Motor | | 150RPM Brush Speed | |
| Brush Motor 600W | | Deck Size 720mm | | |
| Pad Size 2x360 | ze 2x360mm | | Brush Size 2x370mm | |
| Traction Drive 700W | | Drive Speed 0-6.5km/h | | |
| 3 x Battery | | 4 x Battery | | |
| Runtime 4hrs Recharge Time 7hrs 30mins | | Runtime 5hrs 20mins Recharge Time 10hrs | | |
| | | | | Net Weight 282.0 |
| | | | | |

TVL850



- User-friendly controls
 Trio adjustable brush design
 Configurable battery performance that suits you
- On-board charging

| 120L Tank Capacity | 600W Vac Motor | | 212RPM Brush Speed | |
|---------------------------|--------------------------|-----------------------|--------------------------|--|
| Brush Motor 3 x 4 | 00W Deck | | ize 650/750/850mm | |
| Pad Size 3x300mm | | Brush Size 3x300mm | | |
| Traction Drive 700W | | Drive Speed 0-6.5km/h | | |
| 3 x Battery | | 4 x Battery | | |
| Runtime 3hrs 5mins | | Runtime 4hrs 10mins | | |
| Recharge Time 7hrs 30mins | | Recharge Time 10hrs | | |
| Net Weight 287.0kg | | Net Weight 298.4kg | | |


5 x Battery & 6 x Battery configurations available for TRL720 and TVL850



mumatic.com (+44 (0)1460 68600 69

Brushes & Pad Drives

Careful selection of quality brushes and pads will ensure your FloorCare machine always operates at its best.









Specialised Brushes (Rotary Machines Only)



Suitable for scarifying a range of floor surfaces, typically used in preparation of concrete flooring.



Highly abrasive disc, for use on rotary machine.



Carbon based discs provide high abrasive properties with long-life.





| Polyscrub Brush General scrubbing duties, suitable for most floor types. | 244NX Nyloscrub Brush Suitable for when lighter scrubbing is required. Supplied as pack of 2. | Nyloscrub Brush Suitable for when lighter scrubbing is required. | Union Mix Polish Brush Ideal for polishing, uses a well-proven mix of high-quality bristles for optimum results. | |
|--|--|--|--|--|
| "New for 2024, the | Ten-Tec brush raises t | the standard in scrub | brush performance." | |
| Tensec High Performan - Lasts 10x longer than a stan- | | Ten-Tec 244NX High Performand Supplied as pack of 2. Ten-Tec High Performance Brush (370, 450, 550mm) | | |
| Replaces up to 100 standardImprove cleaning results com | d red pads pared to standard brushes all additives, lowering cleaning costs | Ten-Tec Octo High Performance Brush (300mm) Suitable for General Scrubbing Suitable for all Floor Types | | |
| 6 | 7 | 8 | 9 | |
| Long-Life Scrubbing Brush (Green) Can provide extended cleaning life in | Long-Life Heavy-Duty Scrubbing / Stripping Brush (Black) | 244NX PadLoc Drive Board A simple, effective and easy to use | PadLoc Drive Board A simple, effective and easy to use | |





Porcupine Pad Holder Can be used as an alternative pad drive board when required.







comparison to standard scrubbing

brushes. Suitable for general scrubbing.

NuLoc2 Drive Board Alternative to PadLoc that may be required when using a rotary machine in certain circumstances. Suitable for



244NX NuPad Red General use floor cleaning pad for hard floors. Removes light dirt and scuff marks. Supplied as pack of 10.



Alternative to PadLoc that may be

required when using a rotary machine

in certain circumstances. Suitable for

Can provide extended cleaning life in

comparison to alternative heavy-duty

scrubbing brushes. Suitable for

heavy-duty scrubbing.

NLL Drive Board

244NX NuPad White Delicate surface cleaning pad for hard floors. Supplied as pack



Flexi NuLoc2 Drive Board

machines. NuLoc2 offers an

Flexi specification provides optimum

stability needed for 300rpm speed

244NX NuPad Green Heavy-duty cleaning pad for hard floors Removes dirt and scuff marks. Supplied as pack of 10.



High-efficiency floor cleaning pads. Suitable for use on all hard floors. More durable and efficient than a conventional melamine pad. Environmentally friendly. Supplied as pack of 2.



Specially developed with billions of microscopic diamonds. Suitable for use on hard floors Supplied as pack of 2.



NuShine Topline Speed Burnishing Pad Burnishing pad for use with NuShine HNS1550 (500mm). Supplied as pack of 5.



Heavy-duty cleaning pad for hard floors. Suitable for general daily cleaning jobs. Removes dirt and scuff marks. Supplied as pack of 5.




General use floor cleaning pad for hard floors. Suitable for light and daily cleaning jobs. Removes light dirt and scuff marks. Supplied as pack of 5.

mumatic.com +44 (0)1460 68600 71

Hurricane / NuSpeed

Accessories & TwinTec Blades

Using genuine Numatic accessories will ensure you achieve the best results from your FloorCare machine.



Replacement Polyurethane Blade Set

TwinTec

Tools & Accessories



Aluminium Floor Tool Blades Included 244NX PN: 913830



Plastic Floor Tool Blades Included TT1840G / TTB1840NX PN: 903532





All TT / TTB / TBL Machines Wander Floor Kit (32mm) (Except TT1840G / TTB1840NX)



All TT / TTB / TBL Machines Wander Floor Kit (38mm), (Except TT1840G / TTB1840NX)



CRL Machines Wander Floor Kit (38mm), C/W Fitting Kit PN: 903183



TwinTec Emptying Hose 32mm Emptying Hose Kit PN: 609100





Aluminium Floor Tool Wide Angle Adjustable Castor Plate Upgrade Kit PN: 908028



Cable Roll Extension for Mains Machines UK PN: 612002 EUR PN: 612003

NX300 Charging Dock NX300 Dual Charging Dock

Charging Docks

EURO

SWISS

AUS/NZ

S.AFRICA

NX300 Battery

NX300 Mains Cable for

PN: 912365

PN: 912361

PN: 912364





NX300 Charging Dock

PN: 915749 SWISS AUS/NZ USA S.AFRICA PN: 915750 PN: 915751 PN: 915752 PN: 915753

NX300 Dual Charging Dock

NX300 Dual

CRL Spray Mop Mounting Kit

Look out for the logo to make sure you're getting a **Genuine Numatic Part.**





CRL Caddy Kit (Red)

PN: 913810

VersaCare

Raising cleaning standards and productivity with versatility, innovation and quality.


VersaCare Contents

| Mop Kits | 76-77 |
|-------------------------------|---------|
| MULTI-Matic Range | 78-81 |
| ECO-Matic Range | 82-85 |
| SERVO-Matic Range | 86-89 |
| PRO-Matic Range | 90-94 |
| SRK Kits | 95 |
| Carousel Range | 97 |
| NuBag Range | 98-99 |
| NuKeeper Range | 100-105 |
| NuKeeper Top Tray & Hood Kits | 106 |
| NuKeeper End Frame Kits | 107 |









Mop Kits

PCM403 POLYSTATIC **3-PIECE MOP SET**



- C/W 50 x PolyStatic Mop Cloths Disposable PolyStatic Mop "Gripper" Pad Velcro Fixing
- Pad Size 400mm

PSM400G POLYSTATIC SPRAYMOP SET



- C/W 50 x PolyStatic Mop Cloths C/W Disposable PolyStatic Mop "Gripper" Pad
 C/W 400ml Bottle
- Velcro FixingPad Size 400mm

DTK3 HANG-ON MOP SET



- C/W 1 x BluTec Microfibre Mop
- Suitable for Vertical Press
 Hang-on Fixing
- Pad Size 400mm

DTK8G SPRAYMOP MASTER SET



- C/W 1 x BluTec Microfibre Velcro Mop
- C/W 400ml Bottle
 Velcro Fixing

DTK12G WING MOP

PUMP ACTION SET

Pad Size 400mm

DTK13G WING MOP PUMP ACTION SET

□ C/W 1 x BluTec Microfibre Hang-on Mop

- C/W 1 x BluTec Microfibre Pocket Mop Suitable for Vertical Press, Wide Press
- and MopMatic
- Pocket Fixing Pad Size 400mm
- **COLOUR-CODED MOP** PRESS CLIPS
- 4 Colour Options
- For Use on Mops and Presses Fasy to Attach & Remove
- Available in Packs of 10

PCM401 POLYSTATIC 1-PIECE MOP SET



- C/W 50 x PolyStatic Mop Cloths Disposable PolyStatic Mop "Gripper" Pad Velcro Fixing

DTK1 KENTUCKY MOP SET



C/W 1 x Kentucky 400g Mop Suitable for Vertical Press

DTK4 VELCRO MOP SET

C/W 1 x BluTec Microfibre Mop

Pad Size 400mm

DTK9 TWIST MOP

C/W 1 x Bactiguard Mop

Suitable for Vertical Press

Pad Size 400mm

Suitable for Wide Press and MopMatic
Velcro Fixing

DTK2 POCKET MOP SET

C/W 50 x PolyStatic Mop Cloths

Disposable PolyStatic Mop "Gripper" Pad Velcro Fixing

PCT400 POLYSTATIC

TELESCOPIC MOP SET



- C/W 1 x BluTec Microfibre Pocket Mon Suitable for Vertical Press, Wide Press
- and MonMatic
- Pad Size 400mm

DTK6G SPRAYMOP MASTER SET



- C/W 1 x BluTec Microfibre Pocket Mop
- C/W 400ml Bottle
 Pocket Fixing
- Pad Size 400mm

DTK10 MULTIMOP



- C/W 1 x Sponge Folding Press Velcro Fixina
- Sponge Size 350mm
- **POLYSTATIC GRIPPER PAD**



Disposable PolyStatic Mop "Gripper" Pad

POLYSTATIC MOP DUSTERS



- Fits on PCM403, PSM400G
- Pack of 50 x PolyStatic Mop Cloths
- (White / Red / Blue / Green / Yellow)
 Carton of 400 x PolyStatic Mop Cloths, (8 x 50)
- (White / Red / Blue / Green / Yellow)
- C/W 2 x "Gripper" Pads

The MidMop is always on-hand and easily stored, with a compact design providing a go-anywhere twin-bucket mopping system.







MM30G



- □ C/W 1 x Sponge □ Velcro Fixing □
- 30L Capacity Bucket
- □ Folding Press □ Castors: 4 x 50mm
- □ 340x475x320mm (WxLxH)

HB1812R



- Vertical Press for Flat or Kentucky/Twist Mop
- 18L Clean Capacity / 12L Dirty Capacity
- Optional Mop Kits:
 DTK1 / DTK2 / DTK3 / DTK12G / DTK13G
- □ Castors: 4 x 75mm □ 410x560x800mm (WxLxH)

MMB1616



- Vertical Press for Flat or Kentucky/Twist Mop
 16L Clean Capacity / 16L Dirty Capacity
- Optional Mop Kits:
- DTK1 / DTK2 / DTK3 / DTK12G / DTK13G Optional Handle
- □ Castors: 4 x 75mm
- □ 510x680x1020mm (WxLxH)





MULTI-Matic Trolley Range



Designed for enhanced usability, productivity and simplicity, MULTI-Matic offers a choice of 9 models to suit any cleaning task or environment.

DesignBespoke Janitorial See page 9





| MODEL | ммо | MM1 | MM2 | ММЗ | мм4 | мм5 | мм6 | ММ7 | мм8 |
|----------------------------|--------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Waste | - | - | 70L | - | 70L | - | 70L | - | 70L |
| Storage Options | - | - | - | - | - | Shelf | Shelf | - | - |
| Castors | 4 x 75mm | 4 x 75mm | 4 x 75mm | 4 x 75mm | 4 x 75mm | 4 x 75mm | 4 x 75mm | 4 x 75mm | 4 x 75mm |
| Dolly Mop Basket | - | Yes | Yes | - | - | - | - | - | - |
| Press | - | = | - | Vertical Press | Vertical Press | - | | - | - |
| Buckets | - | 2 x 5L |
| Mop Bucket | - | 1 x 28L | 1 x 28L | 1 x 15 / 1 x 17L | 1 x 15 / 1 x 17L | - | - | 1 x Dosed, 1 x 28L | 1 x Dosed, 1 x 28L |
| Hooks | - | 1 x Large T-Slot Hook |
| Clips | - | 1 x T-Slot Mopstick Clip |
| Dimensions (WxLxH) (MM) | 480x940x1130 | 480x940x1130 | 480x940x1130 | 480x940x1130 | 480x940x1130 | 480x940x1130 | 480x940x1130 | 480x940x1130 | 480x940x1130 |

Made from Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

COMPACT & VERSATILE MOPPING TROLLEY



















MULTI-Matic Mop Kits & Accessories

5L SWING BUCKET



- 5L Swing Bucket, Blue Handle PN: 905226
- 5L Swing Bucket, Green Handle PN: 905227 5L Swing Bucket, Yellow Handle PN: 905228
- 5L Swing Bucket, Red Handle PN: 905225

5L SWING BUCKET LID



Lid for 5L Swing

5L SWING BUCKET KIT



- 5L Bucket Holder C/W Fixing Black PN: 629050 5L Swing Bucket Kit, Red Handle PN: 906277
- 51 Swing Bucket Kit. Blue Handle PN: 906278 5L Swing Bucket Kit, Green Handle PN: 906279 5L Swing Bucket Kit, Yellow Handle PN: 906280

15L TWINMOP BUCKET



- 15L TwinMop Bucket, Red Handle PN: 905221
 15L TwinMop Bucket, Blue Handle PN: 905222
- 15L TwinMop Bucket, Green Handle PN: 905223
 15L TwinMop Bucket, Green Handle PN: 905223
 15L TwinMop Bucket, Yellow Handle PN: 905224

MOP BASKET



WASTE BAG SECURING MOULDING





 28L TwinMop Bucket, Green Handle PN: 905219
 28L TwinMop Bucket, Yellow Handle PN: 905220 Dolly Mop Basket PN: 906729

Used on: MM2 / 4 / 6 / 8 PN: 913978

17L FRONT **MOP BUCKET**



1 x 17L Bucket, Blue Handle
Used on: MM3 / 4 PN: 915058

WASTE BIN LID

1 x 15L Bucket, Red Handle Used on: MM3 / 4

15L REAR

MOP BUCKET

Used on: MM1 / 2 / 7 / 8 TOP STORAGE TRAY | MID STORAGE TRAY

Used on: MM5 / 6

WHEEL KIT

28L TwinMop Bucket, Red Handle PN: 905217

28L TwinMop Bucket, Blue Handle PN: 905218

28L TWINMOP

BUCKET



Used on: MM1 / 3 / 5 / 7





Dosed Mop Bucket Lid Used on: MM7 / 8 PN: 915406

MB400 MOP DOSING BUCKET

Castor x1 204118

WASTE BAGS



Dosed Mop Bucket, Blue HandleUsed on: MM7 / 8 PN: 915407

75MM CASTOR X1

MB400 MOUNTING BRACKET

Used on: MM2 / 4 / 6 / 8



Dosed Mop Bucket Bracket Frame
Used on: MM7 / 8

GREY CADDY

Carry Cleaning Products

VERTICAL MOP PRESS



Flat Mon Press Used on: MM3 / 4 PN: 915326

TWIN 1L BOTTLE

Twin 1L Bottle Holder



Kentucky/Twist Mop Press Used on: MM3 / 4

HOLDER



Large Wheel Kit

KIT

MOP SUPPORT

1 x Mop Support for on-board Mop Storage

FABRIC WASTE BAG



Multi-pocket for Convenient Storage



PN: 915319

LARGE & SMALL

T-SLOT HOOK



Grey, Roll x 10 PN: 908230 **MOP CLAMP & CLIP**





70L Waste Bags (570x1000mm)



 A - Large T-Slot Hook (x1) PN: 911936 A - Large T-Slot Hook (x10) PN: 912547
 B - Small T-Slot Hook (x1) PN: 915171

□ B - Small T-Slot Hook (x10) PN: 915325 □ D - Mopstick Clip (x10) PN: 629883

PCM403 POLYSTATIC 3-PIECE MOP SET



Wet Floor Sign with Tray-Fix Hooks, Yellow A - PN: 629044

1 x BluTec Microfibre Mop

Suitable for Vertical Press

Hang-on Fixing

PN: 629334

Pad Size 400mm

WET FLOOR SIGN

Wet Floor Sign, Yellow, English B - PN: 901457

Velcro FixingPad Size 400mm PN: 629813 **DTK3 HANG-ON MOP SET** DTK9 TWIST MOP

50 x PolyStatic Mop Cloths

Disposable PolyStatic Mop "Gripper" Pad



1 x Bactiguard Mop PN: 906460

MOP SET



1 x Kentucky 400g MopSuitable for Vertical Press PN: 629332

DTK1 KENTUCKY



Suitable for Vertical Press, Wide Press and MopMatic

DTK13G WING MOP

PUMP ACTION SET

1 x BluTec Microfibre Pocket Mop

DTK2 POCKET MOP SET

- Pocket Fixing
 Pad Size 400mm
- PN: 629333


DTK12G WING MOP PUMP ACTION SET



- 1 x BluTec Microfibre Pocket Mop Suitable for Vertical Press, Wide Press and MopMatic
- Pocket Fixing
 Pad Size 400mm

PN: 906205

- 1 x BluTec Microfibre Hang-on Mop Suitable for Vertical Press Hang-on Fixing
 - Pad Size 400mm PN: 909278






1 Compact, convenient and easy to store when not in use

2 & 3 Open shelf storage for easy access to all your cleaning equipment and supplies on the move

A compact and versatile trolley range, ensuring productivity with a choice of janitorial solutions and mopping options to suit all environments.







ECO-Matic Trolley Range



Sustainably engineered using the highest quality recycled plastic, each model in the ECO-Matic range benefits from 100% Structofoam construction, making it tough, easy to clean and built to last.

The best value cleaning trolley range on the market.

- Ergonomically Designed
- Sustainably Engineered
- Built to Last







Made from Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

MOPPING STORAGE & WASTE













| MODEL | EM1 | EM2 | ЕМЗ | EM4 | EM5 | ЕМ6 |
|----------------------------|----------------------|----------------------|-----------------------------------|-------------------|-----------------------------------|-------------------|
| Waste | 120 / 2 x 70L | 120 / 2 x 70L | 120 / 2 x 70L | 2 x 120 / 4 x 70L | 120 / 2 x 70L | 2 x 120 / 4 x 70L |
| Storage Options | Shelf | 2 x Deep Drawers | Shelf | Shelf | 2 x Deep Drawers | 2 x Deep Drawers |
| Castors | 4 x 100mm | 4 x 100mm | 4 x 100mm | 4 x 100mm | 4 x 100mm | 4 x 100mm |
| Kits | SRK14 / 20 / 21 / 22 | SRK14 / 20 / 21 / 22 | SRK15 / 16 / 19 / 20 / 21 / 22 | SRK 20 / 21 / 22 | SRK15 / 16 / 19 / 20 / 21 / 22 | SRK20 / 21 / 22 |
| Optional Security | - | Lockable Drawers | - | - | Lockable Drawers | Lockable Drawers |
| Optional SprayMop | Yes | Yes | - | - | - | - |
| Wall and Door Buffers | Yes | Yes | Yes | Yes | Yes | Yes |
| Dimensions (WxLxH) (MM) | 545x900x1000 | 545x900x1000 | 545x1160x1000 | 545x1230x1000 | 545x1160x1000 | 545x1230x1000 |

ECO-Matic Trolley Range



ALL-IN-ONE READY TO GO COMPACT SOLUTION

Offers an all-in-one, ready to go compact solution

- Compact Design
- Convenient Storage
- Sustainably Engineered



PRF-CONSUMER



EM1-TM



| 1 | ı | |
|----------------------------|-------------------|-------------------|
| MODEL | EM1-TM | EM2-TM |
| Waste | 120 / 2 x 70L | 120 / 2 x 70L |
| Storage Options | Shelf | 2 x Deep Drawers |
| Castors | 4 x 100mm | 4 x 100mm |
| Kits | SRK14 / 22 / DTK9 | SRK14 / 22 / DTK9 |
| Optional Security | - | Lockable Drawers |
| Wall and Door Buffers | Yes | Yes |
| Dimensions (WxLxH) (MM) | 545x900x1000 | 545x900x1000 |

ECO-Matic Mop Kits & Accessories

KIT SRK14



- 1 x 18L Blue Handle Bucket, Grey

 C/W Mop Basket
- Used on: EM1 / EM2 PN: 910439
- KIT SRK15



- 1 x 34L Blue Handle Bucket, Grey

 C/W Mop Basket
- Used on: EM3 / EM5 PN: 910440

KIT SRK22

Kentucky/Twist Mop 1 x 17L Red Handle Bucket, Grey

MOP CLIPS

1 x 17L Blue Handle Bucket, Grey Used on: EM3 / EM5 Flat Mop Press PN: 910442 Kentucky Mop Press PN: 910443

KIT SRK16 / SRK16K



- Vertical Press for Flat or
 - - 1 x Grey Lid C/W Colour-coded Discs

LARGE T-SLOT HOOK,

SMALL T-SLOT HOOK

KIT SRK19 BAG FRAME KIT



- 1 x ReFlo Bag Frame with Fixing Screws1 x ReFlo Bag Securing Frame

- Used on: EM3 / EM5 PN: 910843



Rear Wheel Assembly Used on: EM Range PN: 910758

KIT SRK21

MOP

KIT

SUPPORT



- 4 x 5L Swing Pails5L Swing Pail Handle, Red / Blue / Green / Yellov
- 2 x 10L Buckets, Grey Used on: EM Range
 - 10L Bucket Handle, Red / Blue Used on: EM Range PN: 911401

ZIPPED LAUNDRY



1 x Mop Support for On-board Mop Storage Used on: EM Range PN: 915321



Used on: EM Range PN: 909369

WET **FLOOR** SIGN



1 x Zipped Laundry Bag PN: 901457

Mopstick Clip (x1) ReFlo Black PN: 629874

Mopstick Clip (x10) ReFlo Black PN: 629883

Used on: EM Range

Wet Floor Sign Assembly Yellow, English Used on: EM Range



□ Large (x10) A - PN: 912547 □ Small (x1) B - PN: 915171 □ Small (x10) B - PN: 915325

DTK9 TWIST MOP



C/W 1 x Bactiguard MopUsed on: EM Range PN: 906460

ECO-MATIC BAG SPLITTER KIT



- 1 x Bag Splitter with Fixing Screws for Dual Waste
- 1 x Bag Trapper Extrusion
- C/W Bags C/W Roll of 70L Waste Bags
- C/W Colour-coded Discs
 Used on: EM Range
 PN: 910840

NUMATIC QUICK TROLLEY BRACKET



1 x Numatic Quick Trolley Bracket Used on: EM Range PN: 916341

- Robust design to protect the Numatic Quick
- Compact in size
- Intergrated non-marking buffers for wall and door protection





SERVO-Matic Trolley Range



Made from Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

COMPACT STORAGE & WASTE TROLLEY











SMX RANGE









| MODEL | SM1405 | SM1415 | SM1705 | SMX1405 | SMX1415 | SMX1705 | SM5 |
|----------------------------|-------------------------|-------------------------------|-------------------------------|-------------------------|-------------------------------|-------------------------------|----------------|
| Waste | 120 / 2 x 70L | 120 / 2 x 70L | 120 / 2 x 70L | 120 / 2 x 70L | 120 / 2 x 70L | 120 / 2 x 70L | 120 / 2 x 70L |
| Storage Options | - | Divided Tray | Storage Drawer | - | Divided Tray | Storage Drawer | Storage Drawer |
| Optional Castors | 100 / 125mm & Braked | 100 / 125 / 200mm & Braked | 100 / 125 / 200mm & Braked | 100 / 125mm & Braked | 100 / 125 / 200mm & Braked | 100 / 125 / 200mm & Braked | 125mm |
| Kits | Multiple Options | Multiple Options | Multiple Options | Multiple Options | Multiple Options | Multiple Options | - |
| Buckets | 2 x 5L | 2 x 6L | 4 x 5L or 2 x 10L | 2 x 5L | 2 x 6L | 4 x 5L or 2 x 10L | - |
| Bin Surround | - | - | - | Yes | Yes | Yes | - |
| Dimensions (WxLxH) (MM) | 570x835x970 | 570x1090x1115 | 570x1325x1115 | 570x835x970 | 570x1090x1115 | 570x1325x1115 | 570x1120x1115 |



- Select your Trolley Base
- Pick your Storage Options
- Choose your Accessories
- Submit your Configuration

Visit: numaticsupport.com/nu-design

SERVO-Matic Mop Kits & Accessories

KIT SRKO / SRKOK



- Vertical Press for Flat or
- Kentucky/Twist Mop

 1 x 15L Red Handle Bucket, Grey
- □ 1 x 15L Blue Handle Bucket, Grey Used on: SM/SMX Range Flat Mop Press PN: 910413 Kentucky/Twist Mop Press PN: 910414

KIT SRK1 / SRK1K



- Vertical Press for Flat or Kentucky/Twist Mop
- □ 1 x 17L Red Handle Bucket, Grey
 □ 1 x 17L Blue Handle Bucket, Grey
- 1 x 17L Blue Handle Bucket, Grey
 1 x Bucket Support Tray
 Used on: SM/SMX Range
 Flat Mop Press PN: 910415
 Kentucky/Twist Mop Press PN: 910416 a 1 x Extension Iray 2 Used on: SM1415 / 1705 / SMX1415 / 1705 Flat Mop Press PN: 910425 Kentucky/Twist Mop PN: 910426

KIT SRK3



- Speedclean Wide Press
- 1 x 22L Red Handle Bucket, Grey
 1 x 22L Blue Handle Bucket, Grey
- 1 x Extension Tray
 Used on: SM1415 / 1705 / SMX1415 / 1705 PN: 910430

KIT SRK4



- □ 1 x MopMatic2 Bucket, Grey
- C/W Set of Colour-coded Discs
 1 x 22L Red Handle Bucket, Grey
- 1 x Extension Trav

PN: 910433

MMB1616

□ C/W 2.5L Dosing Bottle
□ Used on: SM1415 / 1705 /

MIDMOP OPTION

Vertical Press for Flat or

SM1415 / 1705 / SMX1415 / 1705

Used on:

Kentucky/Twist Mop 510x680x1020mm (WxLxH)

NUMATIC QUICK

TROLLEY BRACKET

KIT SRK5



- 2 x MopMatic2 Bucket, GreyC/W Set of Colour-coded Discs
- 1 x Extension Trav
- C/W 2.5L Dosing Bottle
 Used on: SM1415 / 1705 /
- PN: 910435

KIT SRK26

KIT SRK6



2 x MopMatic2 Bucket, GreyC/W Set of Colour-coded Discs

KIT SRK2 / SRK2K

Vertical Press for Flat or

1 x Fxtension Trav

Kentucky/Twist Mop

1 x 22L Red Handle Bucket, Grey
1 x 22L Blue Handle Bucket, Grey

- 1 x 22L Red Handle Bucket, Grey, C/W Lid
 MopMatic2 Hang-on Frame, Nutex
- 1 x Extension Trav C/W 2.5L Dosing Bottle
 Used on: SM1415 / 1705 /
- PN: 910436

KIT SRK62



- Hood Set
- Lockable
 Used on: SM1705 / SMX1705
- PN: 910315

BAG SPLITTER KIT

KIT SRK50 / 51



- Optional Single
- C/W Locks and Hinges Used on: SM1705 /

BRACKET

- Optional Doors
- / SMX1705 PN: 911444 PN: 908171

MB400 MOUNTING

KIT SRK30



- Door and BackC/W Locks
- and Hinges
 Used on: SM1705

- - 912849 SRK51 Used on: SMX1415 PN: 912853

1 x Bag Splitter with Fixing Screws Optional Bin Surround Kit SRK50 Used on: SMX1405 for Dual Waste C/W Roll of 70L Waste Bags

C/W Colour-coded Discs
Used on: SM / SMX Range
PN: 910880

CUSTOMISABLE DOOR PANELS

Optional Attachment

1 x Numatic Quick

SM / SMX Range

PN: 916341

Trolley Bracket

- For use with MB400 Dosed Mop Bucket Used on: SM / SMX Range PN: 916646


KIT SRK27

Door Graphic Set No.1 Happy Cleaning PN: 908172

KIT SRK28 Door Graphic Set No.2

Big Ben PN: 908173 KIT SRK29

Door Graphic Set No.3 Sunflowers









PRO-Matic Trolley Range

The PRO-Matic range offers a 100% configurable cleaning system, increasing operator usability and productivity.

Unlimited configuration options with complete versatility.

- Fully Customisable
- Safe & Secure
- Sustainably Engineered

Design

A choice of 12 base units and a wide-range of kits and accessories, no detail goes unmissed with PRO-Matic; meeting the precise requirements of any user, in any environment, for any application.





- 1 Safe and Secure Storage
- 2 Drawer Storage Options



Made from Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

CONFIGURABLE, SAFE & SECURE





















| MODEL | PM10 | PM11 | PM12 | PM20 | PM21 | PM22 | PM30 | PM31 | PM32 |
|----------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| Waste | 1 x 120L / 2 x 70L | 1 x 120L / 2 x 70L | 2 x 120L / 4 x 70L | 1 x 120L / 2 x 70L | 1 x 120L / 2 x 70L | 2 x 120L / 4 x 70L | 1 x 120L / 2 x 70L | 1 x 120L / 2 x 70L | 2 x 120L / 4 x 70L |
| Storage Drawers | - | Optional | - | Optional | Optional | Optional | Optional | Optional | Optional |
| Doors | - | Optional | - | Optional | Optional | Optional | Optional | Optional | Optional |
| Castors Size | Optional |
| Detachable Wheeled Bin | Yes |
| Kits | Multiple Options |
| Dimensions (WxLxH) (MM) | 580x972x1073 | 580x972x1073 | 580x972x1073 | 580x1335x1073 | 580x1335x1073 | 580x1335x1073 | 580x1700x1073 | 580x1700x1073 | 580x1700x1073 |

Nu-Design

Nu-Design guides you through the product configuration process, providing a visual output and configuration breakdown at each selection.



See page 9

PRO-Matic Trolley Range

The PM13 provides a lockable and manoeuvrable solution.

A completely configurable cleaning system with a wide choice of features to suit operator usability and productivity. Ready for anything, always on the go and on-hand wherever you need it.

PM13

- Optional CastorsOptional Doors
- Optional Storage Drawers580x972x1073mm (WxLxH)



PM13 OPTIONAL CONFIGURATIONS



- □ 2 x Deep Storage Drawers
- 4 x Shallow Storage Drawers6 x Storage Box Runners
- Castors: 4 x 100mm
- □ Lockable Doors
- □ 580x972x1073mm (Wxl xH)



- 2 x Deep Storage Drawers4 x Shallow Storage Drawers

- □ 6 x Storage Box Runners Castors: 4 x 100mm
 580x972x1073mm (WxLxH)



- □ 2 x Deep Storage Drawers
- 4 x Shallow Storage Drawers6 x Storage Box Runners
- Castors: 4 x 100mm
- Lockable Doors
- □ 580x972x1073mm (WxLxH)

The PRO-Matic PM24 and PM34 provide a lockable multi-waste recycling system, offering the options to separate your waste responsibly with a choice of 3 or 4 industry colour-coded bins.









- Waste 3 x 120L / 6 x 70L □ End Detachable Wheeled Bins
- and Central Static Bin


PM24

- Lockable Doors
- Industry Colour-coding
 580x1335x1073mm (WxLxH)
- Waste 4 x 120L / 8 x 70L
- □ End Detachable Wheeled Bins
- and Central Static Bins

 Optional Castors I ockable Doors

PM34

- Industry Colour-coding
 580x1700x1073mm (WxLxH)



Bin Feature

PRO-Matic Mop Kits & Accessories

KIT SRK1S / SRK1KS



Vertical Press for Flat or Kentucky/Twist Mop

1 x 17L Řed Handle Bucket Grev 1 x 17L Blue Handle Bucket, Grey

■ 1 x Bucket Support Tray ■ Used on: PM10 / 20 / 30 Flat Mop Press PN: 909523 Kentucky/Twist Mop Press PN: 910348

KIT SRK2S / SRK2KS



Vertical Press for Flat or Kentucky/Twist Mop

1 x 22L Red Handle Bucket, Grey
1 x 22L Blue Handle Bucket, Grey

□ 1 x Extension Tray □ Used on: PM10 / 20 / 30 Flat Mop Press PN: 909524 Kentucky/Twist Mop Press PN: 910349

KIT SRK4



1 x MopMatic2 Bucket, Grey C/W Set of Colour-coded Discs
C/W 2.5L Dosing Bottle

n 1 x 22L Red Handle Bucket, Grey

1 x Extension Tray
Used on: PM10 / 20 / 30

KIT SRK5



□ 2 x MopMatic2 Buckets, Grey

□ C/W Set of Colour-coded Discs□ C/W 2.5L Dosing Bottle

 1 x Extension Trav Used on: PM10 / 20 / 30
 PN: 910435

KIT SRK6S



2 x MopMatic 2 Buckets, Grey
 C/W Set of Colour-coded Discs
 C/W 2.5L Dosing Bottle
 1 x 22L Red Handle Bucket, Grey, C/W Lid

MopMatic2 Hang-on Frame, Stainless Steel

□ 1 x Extension Tray □ Used on: PM10 / 20 / 30 PN: 909526

MIDMOP OPTION **MMB1616**

Speedclean Wide Press with

Stainless Steel Handle 1 x 22L Red Handle Bucket, Grey

1 x 22L Blue Handle Bucket, Grey 1 x Extension Tray
Used on: PM10 / 20 / 30

KIT SRK3S



Vertical Press for Flat or

Kentucky/Twist Mop 510x680x1020mm (WxLxH) Used on: PM10 / 20 / 30

KIT SRK62S



Hood Set LockableUsed on: PM Range PN: 910316

KIT SRK26 KIT SRK30



Optional DoorsC/W Locks and Hinges Used on: PM11 / 13 /

20/21/22/ PN: 908171

Door and Back Panel C/W Locks and Hinges
Used on: PM11 /

KIT SRK31



Optional Double Doors and 2 x Back Panels 13 / 20 / 21 / 22 / 30 / 31 / 32 PN: 911444 C/W Locks and HingesUsed on: PM13 / 21 / 30 / 31 / 32

KIT SRK49



Swing-out Bin Used on: PM10 / 11 / 12 / 20 / 21 / 22 / 30 PN: 912815

BAG SPLITTER KIT



Dual Waste 2 C/W Roll of 70L Waste Bags



CUSTOMISABLE DOOR PANELS



NUMATIC QUICK

 1 x Numatic Quick Trolley Bracket

Used on: PM Range PN: 916341



KIT SRK27

Door Graphic Set No.1 Happy Cleaning PN: 908172

KIT SRK28

Door Graphic Set No.2 Big Ben PN: 908173

KIT SRK29

Door Graphic Set No.3 Sunflowers




SRK Kits

| | | | _ | _ | _ | | | | | | 10 | 10 | 10 | _ | | | | _ | | | | | |
|--------|-------------|-----|-----|-----|-----|-----|-----|--------|--------|--------|---------|---------|---------|------|------|------|------|------|------|------|------|------|------|
| KIT | PART No. | EM1 | EM2 | EM3 | EM4 | EM5 | EM6 | SM1405 | SM1415 | SM1705 | SMX1405 | SMX1415 | SMX1705 | PM10 | PM11 | PM12 | PM13 | PM20 | PM21 | PM22 | PM30 | PM31 | PM32 |
| SRK0 | 910413 | | | | | | | • | • | • | • | • | • | | | | | | | | | | |
| SRK0K | 910414 | | | | | | | • | • | • | • | • | • | | | | | | | | | | |
| SRK1 | 910415 | | | | | | | • | • | • | • | • | • | | | | | | | | | | |
| SRK1K | 910416 | | | | | | | • | • | • | • | • | • | | | | | | | | | | |
| SRK1S | 909523 | | | | | | | | | | | | | • | | | | • | | | • | | |
| SRK1KS | 910348 | | | | | | | | | | | | | • | | | | • | | | • | | |
| SRK2 | 910425 | | | | | | | | • | • | | • | • | | | | | | | | | | |
| SRK2K | 910426 | | | | | | | | • | • | | • | • | | | | | | | | | | |
| SRK2S | 909524 | | | | | | | | | | | | | • | | | | • | | | • | | |
| SRK2KS | 910349 | | | | | | | | | | | | | • | | | | • | | | • | | |
| SRK3 | 910430 | | | | | | | | • | • | | • | • | | | | | | | | | | |
| SRK3S | 909525 | | | | | | | | | | | | | • | | | | • | | | • | | |
| SRK4 | 910433 | | | | | | | | • | • | | • | • | • | | | | • | | | • | | |
| SRK5 | 910435 | | | | | | | | • | • | | • | • | • | | | | • | | | • | | |
| SRK6 | 910436 | | | | | | | | • | • | | • | • | | | | | | | | | | |
| SRK6S | 909526 | | | | | | | | | | | | | • | | | | • | | | • | | |
| SRK8 | 911222 | | | | | | | | • | • | | • | • | • | | | | • | | | • | | |
| SRK14 | 910439 | • | • | | | | | | | | | | | | | | | | | | | | |
| SRK15 | 910440 | | | • | | • | | | | | | | | | | | | | | | | | |
| SRK16 | 910442 | | | • | | • | | | | | | | | | | | | | | | | | |
| SRK16K | 910443 | | | • | | • | | | | | | | | | | | | | | | | | |
| SRK19 | 910843 | | | • | | • | | | | | | | | | | | | | | | | | |
| SRK20 | 910758 | • | • | • | • | • | • | | | | | | | | | | | | | | | | |
| SRK21 | 910898 | • | • | • | • | • | • | | | • | | | • | • | • | • | • | • | • | • | • | • | • |
| SRK22 | 911401 | • | • | • | • | • | • | | | • | | | • | • | • | • | • | • | • | • | • | • | • |
| SRK26 | 908171 | | | | | | | | | • | | | • | | • | | • | • | • | • | • | • | • |
| SRK27 | 908172 | | | | | | | | | • | | | • | | • | | • | • | • | • | • | • | • |
| SRK28 | 908173 | | | | | | | | | • | | | • | | • | | • | • | • | • | • | • | • |
| SRK29 | 908174 | | | | | | | | | • | | | • | | • | | • | • | • | • | • | • | • |
| SRK30 | 911444 | | | | | | | | | • | | | • | | • | | • | • | • | • | • | • | • |
| SRK31 | 911447 | | | | | | | | | | | | | | | | • | | • | | • | • | • |
| SRK35S | 909072 | | | | | | | | | | | | | | | | | • | • | • | • | • | • |
| SRK36S | 909073 | | | | | | | | | | | | | | | | | | | | • | • | • |
| SRK42S | 909075 | | | | | | | | | | | | | | • | | | | | | | | |
| SRK43S | 909076 | | | | | | | | | | | | | | | | | | • | | | | |
| SRK44S | 909232 | | | | | | | | | | | | | | | | | | | | | • | |
| SRK49 | 912815 | | | | | | | | | | | | | • | • | • | | • | • | • | • | • | • |
| SRK50 | 912849 | | | | | | | | • | | | | | | | | | | | | | | |
| SRK51 | 912853 | | | | | | | | | • | | | | | | | | | | | | | |
| SRK62 | 910315 | | | | | | | | | • | | | • | | | | | | | | | | |
| SRK62S | 910316 | | | | | | | | | | | | • | • | • | • | • | • | • | • | • | • | • |



Made from Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.



Carousel Range

The Carousel Range features removeable caddy storage and verstatile waste for everyday cleaning solutions.

- Waste 70L
 2 x 5L Swing Pails
 C/W SprayMop Master and Tray
 Castors: 4 x 80mm
 480x545x890mm (WxLxH)

NC1R



NC2R



□ Waste 2 x 70L□ Castors: 4 x 80mm 480x545x890mm (WxLxH)

NC3R



- □ 1 x 10L Large Caddy
 □ Castors: 4 x 80mm
- □ 480x545x890mm (WxLxH)

NC4R



- □ 2 x 4L Small Caddy
- 2 x 10L Large Caddy
 Castors: 4 x 80mm
- □ 480x545x890mm (WxLxH)





Made from Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

NuBag Range

The NuBag range has been designed to provide space saving answers with super strong construction and a smaller capacity when needed.



Twin waste, linen and laundry modules have always been popular in commercial establishments. The dual-end design can incorporate waste and laundry, linen and laundry or waste and linen.





NSX240R











| MODEL | SAX120PR | NSX240R | LLT200R | NBT200R | NB3002R / AT |
|-------------------------|-------------|-------------|-------------|-------------|---------------------|
| Waste | 1 x 120L | 2 x 120L | 2 x 100L | 2 x 100L | 1 x 100L + 1 x 200L |
| Castor Size | 4 x 75mm | 4 x 75mm | 4 x 75mm | 4 x 75mm | 4 x 200mm |
| Dimensions (WxLxH) (MM) | 655x550x910 | 580x780x965 | 580x780x965 | 580x780x860 | 655x1110x1115 |


Big in use, small in storage, the Servo-X trolley range will always find favour in the many locations where space is at an absolute premium.











3 Integrated Laundry Bag Closure System

NX1501















| MODEL | NX1001 | NX1002 | NX1501 | NX2001 | NX2401 |
|-------------------------|-------------|-------------|-------------|-------------|-------------|
| Waste | 100L | 2 x 100L | 150L | 200L | 240L |
| Castor Size | 4 x 75mm |
| Dimensions (WxLxH) (MM) | 390x460x960 | 460x760x960 | 460x760x760 | 460x760x960 | 550x780x960 |

NuKeeper Range

NKS Single & Low Level

Compact, considered and capable... The NKS range will always be a welcome addition to housekeeping where space is at a real premium.







COMPACT LAUNDRY FLEXI-FRONT

NKS1LLR



NKS2LLR



NKS1R



NKS2R



Consumables for illustration purposes only.









- 1 Folding Bag Ends and Heavy-duty Construction
- 2 Easily Detachable Laundry Bags
- 3 Flexi-Front Enclosure
- 4 Numatic Quick Trolley Bracket



| MODEL | NKS1LLR | NKS2LLR | NKS1R | NKS2R |
|-------------------------|--------------|---------------|--------------|---------------|
| Waste | 1 x 100L | 2 x 100L | 1 x 100L | 2 x 100L |
| Castor Size | 4 x 100mm | 4 x 100mm | 4 x 100mm | 4 x 100mm |
| Height | Low Level | Low Level | Full Height | Full Height |
| Storage | 1 x Shelf | 1 x Shelf | 2 x Shelves | 2 x Shelves |
| Dimensions (WxLxH) (MM) | 582x998x1026 | 582x1420x1026 | 582x998x1352 | 582x1420x1352 |

NuKeeper Range

NKT Twin & Low Level

Compact in size... Big on storage. The NKT range has a Flexi-Front enclosure, rotating side buffers to protect walls and even a Low Level (LL) version when visibility during transit is a consideration.





Made from Recycled Plastic

ReFlo Technology uses the highest quality recycled plastic, delivering the same Numatic reliability, durability and quality as always.

COMPACT LAUNDRY FLEXI-FRONT









NKT1LLR



NKT2LLR



| MODEL | NKTOR | NKT1R | NKT2R | NKTOLLR | NKT1LLR | NKT2LLR |
|-------------------------|------------------|------------------|------------------|----------------|----------------|----------------|
| Waste | - | 1 x 100L | 2 x 100L | - | 1 x 100L | 2 x 100L |
| Castor Size | 4 x 100mm | 4 x 100mm | 4 x 100mm | 4 x 100mm | 4 x 100mm | 4 x 100mm |
| Height | Full Height | Full Height | Full Height | Low Level | Low Level | Low Level |
| Storage | 2 x Twin Shelves | 2 x Twin Shelves | 2 x Twin Shelves | 1 x Twin Shelf | 1 x Twin Shelf | 1 x Twin Shelf |
| Dimensions (WxLxH) (MM) | 582x940x1352 | 582x1361x1352 | 582x1783x1352 | 582x940x1026 | 582x1361x1026 | 582x1783x1026 |

Easily Detachable Laundry Bags

Bespoke Janitorial

NuKeeper Range

NKU Professional Universal



The NuKeeper Universal has been designed in every way for demanding hotel cleaning regimes, tackling narrow corridors, heavy loads and the pressures of time sensitive public-space day cleaning.



NKU30RFF



NKU30RHF



NKU31RFF



NKU31RHF




NKU32RFF



NKU32RHF







SPACE-SAVING CUSTOMISABLE SECURE



No. Design Bespoke Janitorial

1 NKU31RHF with Top Kit NKA11R 2 Lockable Tablet Option 3 Flexi-Front System Consumables for illustration purposes only.

| MODEL | NKU30RFF | NKU30RHF | NKU31RFF | NKU31RHF | NKU32RFF | NKU32RHF |
|-------------------------|-----------------------|--------------------------|-----------------------|--------------------------|-----------------------|--------------------------|
| Waste | - | - | 1 x 100L | 1 x 100L | 2 x 100L | 2 x 100L |
| Castor Size | 4 x 200mm All-Terrain | 4 x 200mm All-Terrain | 4 x 200mm All-Terrain | 4 x 200mm All-Terrain | 4 x 200mm All-Terrain | 4 x 200mm All-Terrain |
| Closure | Flexi-Front | Hard-Front Bi-fold Doors | Flexi-Front | Hard-Front Bi-fold Doors | Flexi-Front | Hard-Front Bi-fold Doors |
| Security | - | Lockable | - | Lockable | - | Lockable |
| Storage | 1 x Twin Shelf | 1 x Twin Shelf | 1 x Twin Shelf | 1 x Twin Shelf | 1 x Twin Shelf | 1 x Twin Shelf |
| Dimensions (WxLxH) (MM) | 667x1116x1205 | 667x1116x1205 | 667x1532x1205 | 667x1532x1205 | 667x1948x1205 | 667x1948x1205 |

Nukeeper Top Tray & Hood Kits

A complete range of accessory kits provide the specification you need with no compromise.



Nukeeper End Frame Kits

Optional End Kit SprayMop Tray Kit, Black

Used on: All NKS / NKT / NKU Models PN: 913412

NKA100PR **NKA100PAR** NKA101PR Bag Capacity 1 x 100L Optional Moulded Laundry Bag Extension Kit □ Waste 1 x 120L □ Optional Moulded Full Waste Bag Extension Kit Bag Capacity 1 x 100L Optional Moulded Laundry Bag Extension Kit PN: 913190 Adjustable Handle C/W 3-Piece Lid Set, Black NKA102PR NKA103PR NKA140PR Waste 1 x 140L / 2 x 70L Waste 1 x 120L Waste 1 x 120L Optional Moulded Twin Waste Bag Extension Kit C/W Split Lid Set, Red / Blue PN: 913395 a Optional Moulded Linen Bag Extension Kit C/W 3 Piece Lid Set, Black PN: 913397 Optional Moulded Full Waste Bag Extension Kit C/W iPad / Tablet Storage Lid Set, Black NKA109UR **NKA111UR** NKA112UR Optional Vacuum Storage Platform and Support Doptional End Kit Twin End Half Tray Kit, Black Optional End Kit Twin End Full Tray Kit, Black □ Frame Kit. Black Used on: NKU Models Only PN: 913402 Used on: All NKS / NKT / NKU Models PN: 913411 NKA120R NKA130UR **NUMATIC QUICK** TROLLEY BRACKET

Optional End Kit 30 Litre Waste Bin Kit, Black

Used on: All NKS / NKT / NKU Models PN: 913413

1 x Numatic Quick Trolley Bracket

Used on: All NKS / NKT / NKU Models PN: 916341



Numate Performance You Can Trust.

Head Office Numatic International Limited

Chard, Somerset TA20 2GB UNITED KINGDOM

Tel: +44 (0) 1460 68600

Numatic International GmbH Fränkische Straße 15-19 30455 Hannover DEUTSCHLAND

Tel: +49 (0) 511 984 2160 numatic.de

Numatic International Denmark Fränkische Straße 15-19 30455 Hannover DEUTSCHLAND

Tel: +45 (0) 316 40808 numatic-online.dk

13/17 rue du Valengelier EAE la Tuilerie, 77500 Chelles FRANCE

Tel: +33 (0) 164 726 161 numatic.fr

Numatic International BV

Vennootsweg 15 2404 CG, Alphen aan den Rijn NEDERLAND

Tel: +31 (0) 172 467 999 numatic.nl

Numatic International Schweiz AG. Sihlbruggstrasse 3A 6340 Baar

SCHWEIZ

Tel: +41 (0) 41 768 0760 numatic.ch

Numatic International (PTY) Ltd. Cnr. 16th & Pharmaceutical Road Randjes Park Midrand 1685 SOUTH AFRICA

Tel: +27 (0) 861 686 284 numatic.co.za

Numatic International LDA Rua Francisco da Silva Duarte, nº79 4475-269 Santa Maria de Avioso Castêlo da Maia PORTUGAL

Numatic International SLU
Av. Baix Llobregat
5-7, Oficina bajos 1
(Parc Negocis Mas Blau II)
08820 El Prat de Llobregat
Barcelona
SPAIN

Tel: +34 93 647 22 22 numatic.es

Numatic International Italy S.R.L Via Luigi Galvani, 2 Z.I. Talponedo 33080 Porcia (PN) ITALY

Tel: +39 (0) 434 046 211 numatic.it